

## Review Form 1.6

Journal Name:	Asian Journal of Dental Sciences
Manuscript Number:	Ms_AJDS_94942
Title of the Manuscript:	Panoramic Radiography- A Diagnostic Marker for early detection of Stroke
Type of the Article	Original Research Article

### General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of '**lack of Novelty**', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

(<https://www.journalajds.com/index.php/AJDS/editorial-policy> )

### **PART 1:** Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
<b>Compulsory</b> REVISION comments	1. Alignment in the article to be rectified 2. 1 <sup>st</sup> and the 2 <sup>nd</sup> references to be properly written with the journal instructions	
<b>Minor</b> REVISION comments	Nil	
<b>Optional/General</b> comments	Nil	

### **PART 2:**

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

### Reviewer Details:

Name:	R. S. Pavithra
Department, University & Country	Tamilnadu Dr.MGR Medical University, India