# **Review Form 3**

Journal Name:	Advances in Research
Manuscript Number:	Ms_AIR_126248
Title of the Manuscript:	PERFORMANCE EVALUATION OF DELONIX REGIA SAWDUST AS CEMENT RETARDER IN OIL AND GAS WELL
Type of the Article	Original Research Article

Created by: DR Checked by: PM Approved by: MBM Version: 3 (07-07-2024)

# **Review Form 3**

### **PART 1:** Review Comments

Compulsory REVISION comments	Reviewer's comment	Author's Feedback (Please correct the manuscript and highlight that
	Reviewer's comment	part in the manuscript. It is mandatory that authors should write his/her feedback here)
Please write a few sentences regarding the importance of this manuscript for the scientific community. Why do you like (or dislike) this manuscript? A minimum of 3-4 sentences may be required for this part.		
Is the title of the article suitable? (If not please suggest an alternative title)		
Is the abstract of the article comprehensive? Do you suggest the addition (or deletion) of some points in this section? Please write your suggestions here.		
Are subsections and structure of the manuscript appropriate?		
Please write a few sentences regarding the scientific correctness of this manuscript. Why do you think that this manuscript is scientifically robust and technically sound? A minimum of 3-4 sentences may be required for this part.		
Are the references sufficient and recent? If you have suggestions of additional references, please mention them in the review form.		
Minor REVISION comments		
Is the language/English quality of the article suitable for scholarly communications?		
Optional/General comments	<ol> <li>The improper management of sawdust, a byproduct of wood exploitation and processing, can pose environmental pollution risks.in this paper research is done this product.</li> <li>Converting sawdust into a retarder represents a significant step in addressing the environmental threats posed by this waste material, thereby contributing to cleaner and healthier surroundings.</li> <li>Additionally, the study reveals a decrease in the yield point of the cement slurry as the concentration of the locally synthesized cement retarder increases.</li> <li>In this Stdy,results obtained from various tests demonstrate that sawdust can effectively reduce the setting time of cement slurries, particularly observed with Class G cement, thus acting as a retarder in the oil and gas industry</li> </ol>	

Created by: DR Checked by: PM Approved by: MBM Version: 3 (07-07-2024)

# **Review Form 3**

# PART 2:

		Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

### **Reviewer Details:**

Name:	Naveen G M
Department, University & Country	Government Engineering College, India

Created by: DR Checked by: PM Approved by: MBM Version: 3 (07-07-2024)