

Review Article

UTILIZATION OF MILLETS IN DAIRY FOOD: A REVIEW

Abstract:

Millet is consumed by more than one-third of the world's population. They hold significant importance as a staple food in many developing countries due to their ability to thrive under adverse weather conditions, such as limited rainfall. Furthermore, millet boasts numerous nutritious and medicinal properties. ~~It is grains~~ They are nutritionally comparable, and in some aspects, superior to ~~major other~~ cereals, offering higher levels of protein, energy, vitamins, and minerals. Future trends should prioritize increasing millet consumption in ~~developed~~ ~~developing~~ countries, as this could contribute to an industrial revolution. While milk is widely considered a complete food, it has been associated with various health problems due to elevated levels of saturated fatty acids and a lack of dietary fiber. In recent years, there has been a growing interest in enhancing the nutritional value of milk and milk products by incorporating millet. This involves creating composite dairy foods such as fermented, frozen, heat-desiccated, acid-coagulated, and other complementary dairy products in the dairy industry. ~~Finally, T~~ the objectives of this review are to provide information on millet, highlight the nutritional significance of millet, and explore various fortified milk and milk products with millets, along with innovative ideas for dairy foods.

Keywords: Millets, Nutritional value, Fortified, Dairy Product, Milk.

1. Introduction:

Millets constitute a group of cereal ~~food-grain-crops~~ that have small seeds and are adapted to cultivation across a range of tropical and subtropical climates. They can be grown with very low inputs. These crops were the first to be domesticated by mankind in Asia and Africa, later spreading globally as critical food sources for evolving civilizations. Major millet crops include Jowar or sorghum, bajra or pearl millet, mandua/ragi or finger millet, and small millets such as kangni or foxtail millet, kutki or little millet, kodo millet, jhangora or barnyard millet, cheena or proso millet, and korale or browntop millet. The use of millets in infant food and nutrition products is on the rise, leading many manufacturers to expand their businesses. Increasing consumer awareness of the health benefits associated with millet consumption is expected to bolster the industry's growth.

Comment [b1]: No Reference cited

Given the increasing global significance of millets and the declaration of 2023 as the 'International Year of Millets' by the UNGA, it is imperative for India to take the lead in mainstreaming millets, ensuring their presence on the common man's plate. In this regard, establishing a sustainable value chain for millets is essential to promote millet exports and boost demand at both domestic and international levels.

Comment [b2]: Reference

Millet is the sixth cereal crop in terms of global agricultural production, with wheat and rice providing food security, while millets offer various securities such as food, health, nutrition, livelihood, and animal feed (Kimeera A. and Sucharitha K., 2019). Millet is considered one of the first cultivated crops and has been a staple food ingredient in Central and Eastern Asia, Europe (mainly Russia), China, India, and some parts of Africa since ancient times (Baltensperger, 1996). It is an important food in many developing countries due to its ability to grow under adverse weather conditions, such as limited rainfall. Additionally, millet possesses numerous nutritious and medicinal properties (Obilana and Manyasa, 2002; Xue and Lin, 2008).

Comment [b3]: Remove initials of author

Cereal-based milk products are popular ~~in~~throughout India, where cereals and milk are combined to address lysine deficiency (Aneja *et al.*, 2002). Millet grains and their various constituents require additional human research on absorption, metabolism, and health benefits (Majumder *et al.*, 2023). Millet food products must be economical for the needy and provide convenience, flavor, texture, color, and shelf stability. The incorporation of nonconventional food sources, such as soybeans and various types of millets, with fermented milks may help increase the utilization of these non-conventional food sources. This approach can lead to the production of low-cost, nutritious fermented foods, expanding the variety of fermented milks (Khurana and Kanawjia, 2007).

Formatted: Font: Italic

Formatted: Font: Italic

Cereals, especially millet, possess significant potential as raw materials for use in commercial products. Nevertheless, it is essential to transition processing and equipment from traditional to modern methods and optimize processing conditions to ensure the production of high-quality products (Amadou, 2011). There is a rising interest in integrating natural food additives and health-promoting substances into diets to address the demand for foods offering additional health benefits (Alwohaibi and Ali, 2022).

Millets exhibit several advantages~~sous properties~~, such as drought resistance, high yields in water-scarce areas, and commendable nutritional values. There is evidence indicating that millet-based foods and beverages have functional and health-promoting effects. Specifically, they demonstrate anti-diabetic, anti-obesity, and cardiovascular benefits due to the actions of phytochemicals. ~~Additionally, millets~~They also play a role in enhancing the body's immune system.

There is immense potential to process millet grains into value-added foods (Chandrasekara and Shahidi, 2010). The functional characteristics of millets are useful for

designing special foods and value-added products (Kaushik *et al.*, 2021). Fortifying milk with millets is beneficial for augmenting dietary fiber and other micronutrients in the form of composite millet-milk dairy products, as well as exploring innovative possibilities by incorporating millets into composite dairy foods (Prasad *S.*, 2023). Processing interventions in millet products have shown good acceptability with improved nutritional value, convenience, and shelf life. These interventions continue to be pursued for the invention of innovative millet products targeting both niche markets, such as gluten-free products, and health mix products for mass markets at the national level (Saraswathi *R.* and Hameed *R.*, 2022). Millet is utilized as a dietary medicine, according to Singh *et al.* (2016). Value-added products from millet have the potential to contribute to business growth, as consumers believe that millets and millet-based foods directly contribute to their health (Karuppasamy *P.*, 2015).

Formatted: Font: Italic

Formatted: Font: Italic

In recent years, millets have gained recognition as crucial substitutes for major cereal crops to enhance global food storage capabilities and meet the demands of the increasing populations in both developing and developed countries. Millet grains, constituting approximately one-sixth of total food grain production, occupy a significant position in the food grain economy of India (Shree *et al.*, 2008).

Formatted: Font: Italic

Milk nutrients are effective in ensuring nutritional sufficiency; however, they are associated with various health problems due to high levels of saturated fatty acids and a lack of dietary fiber in ~~them~~^{milk}. Therefore, fortifying milk with millets is deemed beneficial for enhancing dietary fiber and other micronutrients, creating composite millet-milk dairy products (Prasad, 2023). Future trends should prioritize millet consumption in developed countries, potentially contributing to their industrial revolution (Amadou *et al.*, 2013).

Formatted: Font: Italic

2. The utilization of various types of millets for medicinal purposes:

2.1 Sorghum

Sorghum is regarded as a safe alternative food grain for individuals with celiac disease and gluten insensitivity. Additionally, research ~~have shown~~ indicated that Sorghum, ~~or jowar,~~ aids in weight loss. In comparison to major cereals such as rice and wheat, ~~sorghum~~ jowar contains a higher proportion of calcium. Furthermore, it is rich in iron, protein, and fiber (~~O.S.K.~~ Reddy, 2017).

2.2 Finger Millet

Finger millet is beneficial for infants, the elderly, and pregnant women owing to its high calcium content. It is also highly advantageous for lactating women, as it aids in the production of sufficient breast milk. Finger millet contributes to the management of various health conditions such as blood pressure, heart problems, and asthma. Additionally, it serves as an excellent food choice for individuals with diabetes, facilitating slow digestion and the gradual release of glucose into the bloodstream. Furthermore, finger millet aids in raising hemoglobin levels, combating malnutrition, and addressing degenerative diseases (~~O.S.K.~~ Reddy, 2017).

2.3 Pearl millet

Pearl millet contains magnesium, which aids in alleviating respiratory problems in asthma patients and mitigates the impact of migraines. The fiber content of pearl millet contributes to the reduction of gallstone occurrence. The insoluble fiber in pearl millet assists in decreasing excessive bile in ~~the body~~ our system, as an excess of bile in our system can lead to gallstones (Shweta, 2015).

2.4 Kodo millet

Kodo millet is a traditional food that closely resembles rice and aids in weight loss. It is easily digestible and is rich in phytochemicals and antioxidants, which help prevent various lifestyle-related diseases. Kodo millet also contributes to reducing joint and knee pain and assists in regulating menstruation in women (Deshpande *et al.*, 2015).

Formatted: Font: Italic

2.5 Proso millet

Proso millet is advantageous in preventing the condition of Pellagra, which is caused by a deficiency of niacin (Vitamin B3). Proso millet has a high niacin content. Pellagra is a skin disease that leads to dry, scaly, and rough skin. Proso millet is rich in protein and niacin (Vitamin B3). Traditionally, it is used as recuperative food, especially after pregnancy or illness (Jana Kalinova, 2007).

2.6 Foxtail millet

Foxtail millet aids in the steady release of glucose without impacting the body's metabolism. The consumption of foxtail millet is associated with a decreased prevalence of diabetes, and it is also recognized as a heart-healthy food due to its rich magnesium content (O.S.K. Reddy, 2017).

2.7 Little Millet

Little millet is a rich source of B vitamins and minerals such as calcium, iron, zinc, and potassium, among others. Additionally, it supplies essential fats to the body, specifically the type that aids in weight loss (O.S.K. Reddy, 2017).

3. Nutritional values of millets:

Millets are referred to as "smart food" and "superfoods," possessing high levels of desirable nutrients, easy digestibility, distinct flavor, non-acid forming characteristics, and being gluten-free and non-allergenic (Hema *et al.*, 2022). Millet grains are also known as 'nutricereals' due to their significant contribution to national food security and potential health benefits in combating various diseases (Shahidi and Chandrasekara, 2013). Nutritionally, millet grains are comparable to, and in some cases superior to other ~~to, major~~ cereals in terms of protein, energy, vitamins, and minerals (Sehgal and Kawatra, 2003). Millets helps to lower blood glucose levels and improve insulin response (Lakshmi *et al.*, 2002). Millets have a low glycemic index, making them suitable for diabetic patients (Pradhan *et al.*, 2010).

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

More than 58% of global production (of what) consists of millets, yet a limited number of Indians are acquiring knowledge regarding its health benefits and nutritional value (Upadhyaya *et al.*, 2007). The primary components of millet comprise starch, protein, lipids, vitamins, and minerals (Usha *et al.*, 1996). Furthermore, minerals such as magnesium, manganese, and phosphorus are present in significantly higher quantities than in other cereals (Gopalan *et al.*, 1987). Millet serves as a predominant food source for a majority of individuals in the arid tropics, and its fiber content surpasses that of rice while being comparable to wheat (Reddy *et al.*, 2008).

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Comment [b4]: Old

Formatted: Font: Italic

Millet foods and beverages exert functional and health-promoting effects, specifically anti-diabetic, anti-obesity, and cardiovascular benefits. These effects result from the actions of phytochemicals, and millets also play a role in the body's immune system (Kimeera Ambati and

Comment [b5]: Use only one of the name except if it is a compound which must be separated by hyphen(Kimeera-Ambati)

Sucharitha ~~K.~~, 2019). Most cereals contain essential amino acids, as well as vitamins and minerals (Devi *et al.*, 2011; FAO, 2009). Millets are utilized as nutraceuticals due to their richness in antioxidants, surpassing those found in ~~other-major~~ cereal crops (Balasubramaniam, 2013). Vitamin B, including niacin, folacin, riboflavin, and thiamine, along with phosphorus, is present in millets, playing a pivotal role in energy synthesis in the body (Sarita *et al.*, 2016). Millets are ~~veryparticularly~~ rich in B vitamins, such as niacin, pyridoxine, and folic acid. ~~TheyAdditionally,millets~~ provide significant amounts of calcium, iron, potassium, magnesium, and zinc. The nutrient content of millet surpasses that of rice or wheat. Millets, as a rich source of dietary fiber, offer a diverse range of nutrients and phytochemicals, including dietary fiber, vitamin E, magnesium, and folate, contributing to overall health optimization (Thilagavathy *et al.*, 2010).

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Finger millet, foxtail millet, pearl millet, and sorghum are ~~good potential~~ sources of antioxidant compounds capable of quenching free radicals (Sripriya *et al.*, 1996). Barnyard millet has nutritional and health benefits as a whole grain and in its value-added products (Bhatt *et al.*, 2022). It is recommended for infants, pregnant women, diabetic-celiac patients, and patients intolerant to gluten and allergic to wheat-based products (Patil, 2017). Additionally, ragi has enormous health benefits and serves as a good source of valuable micro-nutrients, along with the major food components (Verma and Patel, 2013). Phosphorus from millets is an important mineral for energy production and is an essential component of Adenosine Triphosphate (ATP), the body's energy store (Shashi *et al.*, 2007). It has been reported that cardiovascular diseases, duodenal ulcers, and hyperglycemia occur rarely in regular millet eaters (Vijayalakshmi *et al.*, 2006).

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Table 1: Nutritive value of millets (per 100g)

Cereals Crop Nutrient	Protein (g)	Fat (g)	Fibre (g)	Minerals (g)	Iron (mg)	Calcium (mg)	Phosphorus (mg)
Rice	6.4	0.4	0.2	0.7	1.0	9.0	143
Wheat	11.8	1.5	1.2	1.5	5.3	41	306
Sorghum	10.4	1.9	1.6	1.6	4.1	25	222
Pearl millet	11.6	5.0	1.2	2.3	8.0	42	296
Finger millet	7.3	1.3	3.6	2.7	3.9	344	283
Foxtail millet	12.3	4.3	8.0	3.3	2.8	31	290
Proso millet	12.5	1.1	2.2	1.9	0.8	14	206
Kodo millet	8.3	1.4	9.0	2.6	0.5	27	188
Little millet	7.7	4.7	7.6	1.5	9.3	17	220
Barnyard millet	6.2	2.2	9.8	4.4	5.0	20	280

(Gopalan *et al.*, 2009)

4. Value addition of millets in different dairy products:

4.1 Fermented dairy product

Mugocha *et al.* (2000) optimized the formulation of bacterial cultures to produce composite finger millet and skimmed milk-based powder gruel. They inoculated composite powder with varying volumes of finger millet (0 to 100%) at different temperatures (30-45 °C). The results indicated that a thick product with a yogurt-like consistency could be obtained by incubating at 45 °C and storing at 7 °C, regardless of the amount of finger millet gruel (0-50%). Sharma *et al.* (2017) studied bajra lassi, a fermented beverage prepared by fermenting a composite base of "pearl millet and milk" with suitable starter cultures. The product provides most nutrients in an easily digestible and highly bioavailable form. Additionally, bajra lassi,

Formatted: Font: Italic

Formatted: Superscript

Formatted: Superscript

Formatted: Superscript

Formatted: Font: Italic

developed by the National Dairy Research Center in Karnal, combines the nutritional superiority of pearl millet with beneficial lactic bacteria (NDRI, 2008). Pardhi *et al.* (2014) prepared a lassi by adding finger millet, and ~~reported it can be concluded that a lassi of~~ good quality and enhanced acceptability can be prepared by incorporating finger millet flour.

Formatted: Font: Italic

In the study conducted by Rajini *et al.* (2013), the development of value-added millet dahi involved blending proso millet and flour at various levels (1%, 2%, 3%, 4%, and 5%), along with the incorporation of whey protein concentrate at different concentrations (0.5%, 1%, 1.5%, and 2%). Meanwhile, Sheela *et al.* (2018) standardized five minor millets for the extraction of millet milk. The obtained milk was subsequently pasteurized and fermented using the commercial curd culture NCDC 260 for a duration of 6 hours.

Formatted: Font: Italic

Formatted: Font: Italic

Comment [b6]: State the findings of the authors cited

Rani-M. (2018) developed whey-cereal-based fermented dairy products. Two different forms of cereal processing (soaked and germinated) were employed for two cereals (pearl millet and moth bean) in the product development. These products were then evaluated for both sensory acceptability and growth indicators of the NCDC-167 culture. More *et al.* (2020) prepared dahi by substituting milk solids with biofortified bajra flour. The bajra flour from the biofortified hybrid AHB-1200, rich in iron and zinc compared to local varieties/hybrids, was utilized. Dahi was produced from buffalo milk by blending it with bajra flour at 2%, 4%, 6%, and 8%. Fasreen (2017) mentioned that the beverage was crafted from cooked finger millet inoculated with *Lactobacillus casei*431[Ⓢ], sugar, fresh cow milk, and cocoa powder. The mixture was incubated at 37[Ⓢ]°C for 2 hours, 4 hours, and 6 hours. A sensory study revealed that fermentation for 4 hours resulted in the highest acceptance.

Formatted: Font: Italic

Formatted: Superscript

Jamdar *et al.* (2020) standardized the process of preparing Lassi by blending skim milk with an extract of germinated sorghum grains at different ratios, namely T1 (100:00), T2 (80:20),

Formatted: Font: Italic

T3 (70:30), and T4 (60:40). The objective of using germinated sorghum grains extract was to preserve the medicinal, nutritional, and health beneficial properties of sorghum. In the study conducted by Fan *et al.* (2022), a novel millet-based flavored yogurt enriched with superoxide dismutase was developed. Shingare *et al.* (2022) conducted a study on the sensory evaluation of misti dahi blended with foxtail millet and finger millet flour. The misti dahi prepared by adding 4% finger millet flour was found to be more suitable in terms of sensory attributes.

Formatted: Font: Italic

Formatted: Font: Italic

4.2 Heat desiccated dairy product

Mamtha *et al.* (2003) prepared Burfi by replacing 57% of Bengal gram flour with foxtail millet flour, and the inclusion of foxtail millet flour significantly decreased blood glucose and cholesterol levels. Modha and Pal (2011) optimized a Rabadi-like fermented milk beverage using pearl millet. The product was developed using skim milk and flour from 24-hour germinated pearl millet grains, which served as sources of solids mixed in skim milk before fermentation. Bunkar *et al.* (2014) reported the optimized composition of kheer-mix based on pearl millet, which could be prepared in 5 minutes compared to the traditional rice kheer that typically takes around 45 minutes. Sujith *et al.* (2021) developed Burfi by blending 10% roasted foxtail millet powder by weight of khoa with 30% sugar.

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

4.3 Heat acid coagulated dairy product

Nazni, P. and Raisunnisa, S. (2022) conducted a study to investigate the impact of various food-grade acids on the quality of paneer incorporated with kodo millet flour. In conclusion, to produce paneer with optimal characteristics using kodo millet flour, it is recommended, based on this research, that malic acid can be more effectively employed as a coagulant compared to other coagulants.

4.4 Frozen dairy product

Patel *et al.* (2015) prepared ragi ice cream with four different flavors: vanilla, mango, chocolate, and caramel. The chocolate-flavored ragi ice cream was adjudged as the best, followed by mango, caramel, and vanilla ice cream. The iron and fiber content of chocolate-flavored ragi ice cream were found to be 12.8 ppm and 1.36%, respectively. Sharma *et al.* (2017) reported that the octenyl succinyl anhydride (OSA) esterified pearl millet (*Pennisetum typhoides*) starch was evaluated as a fat replacer in soft-serve ice cream compared to other fat replacers in ice cream, namely, inulin, whey protein concentrate-70 (WPC-70), and commercially available modified starch. Amirtha *et al.* (2021) studied the formulation and proximate evaluation of barnyard millet-based ice cream and revealed that the ice cream formulated with barnyard millet, soybean, and coconut extract showed a better acceptability score compared to the ice cream formulated with variations of barnyard millet, sesame, and coconut extracts. Sangma and Mishra (2017) prepared foxtail millet-based soft-serve ice cream by blending different levels of foxtail millet along with probiotic bacteria, i.e., *Lactobacillus helveticus*. The foxtail millet-based soft-serve ice cream was stored at deep refrigeration (-18 - 20 °C) to assess the keeping quality of the product. Xavier (2021) conducted a study to establish a technology for making millet-based "musk melon kulfi," and the nutritious value of the muskmelon kulfi was enhanced by adding finger millet. The sensory properties, as well as the proximate parameters, were investigated in this study.

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Superscript

4.5 Other dairy product

Barnyard millets play a crucial role as a food staple in various regions. They can be utilized for preparing porridge, ready meals, and baby foods, as indicated by Chandrasekara and Shahidi (2012) and Nisha and Saravanakumar (2019). Kodo millet, an African spontaneously fermented millet, is used to create porridge and a beverage, as described by Lei and Jacobsen (2004). A complementary food, consisting of 45 percent pre-cooked pearl millet flour, skim milk powder, groundnut oil, and sugar, has been identified as helpful in addressing energy deficiency, as observed by Guiro *et al.* (1987).

Formatted: Font: Italic

Kumar *et al.* (2020) demonstrated the procedure for the manufacture of a functional beverage based on finger millet, oats, and double toned milk. For the manufacture of functional beverage, a 60:40 ratio of malt drink and double toned milk was used. Amadou, (2013) Millets are often ground into flour, rolled into large balls, parboiled, and then consumed as porridge with milk; sometimes millets are prepared as beverages. Verma and Patel, (2013) stated that ragi malted weaning food is mixed with powdered sugar, milk powder or whole milk along with flavoring agents to make as milk-based beverage. Jain *et-al.* (2016) studied milk can act as a potent carrier for the development of value-added products based on ragi. The objective of this study was to develop milk based malted ragi porridge as well as to study the effect of malting on the composition of milk based ragi porridge. Bhosale *et al.* (2021) investigated the research work on effect of different combinations of finger millet flour on chemical composition of composite cow milk kheer blended with paneer.

Formatted: Font: Italic

Formatted: Font: Italic

Formatted: Font: Italic

Almeida-Dominguez *et al.* (1990) produced extruded baby food using a composition of 70% pearl millet and 30% cowpea, contributing to 17% of the daily protein intake, 72% of lysine, and meeting 110% of threonine requirements for two-year-old children. Sharma *et al.* (2015) investigated Nutrimix, a cost-effective dry powdered formulation rich in nutrients. This

Formatted: Font: Italic

Formatted: Font: Italic

formulation is developed through the appropriate processing of ingredients such as pearl millet, barley, and milk protein. The resulting powdered product can be utilized as ready-to-reconstitute weaning food. Sangita *et al.* (2019) formulated a probiotic beverage using whey-skim milk (60:40, v/v), germinated pearl millet flour (4.73%, w/v), and liquid barley malt extract (3.27%, w/v) with *Lactobacillus acidophilus* NCDC 13.

Formatted: Font: Italic

Bunkar *et al.* (2014) conducted a study on the preparation of pearl millet kheer mix by blending pearl millet, dairy whitener, and sugar powder. The samples of the pearl millet-based kheer mix were stored at 8, 25, 37, and 45 ⁰C under a nitrogen-flushed environment. Sharma *et al.* (2017) focused on the development of complementary food based on a blend of whey, skim milk, pearl millet flour, barley malt, maltodextrin, and corn flour. Geetha and Preethi (2020) undertook a study to standardize a kodo millet-based functional milk beverage and assess the feasibility of a sprouted millet milk beverage through nutrient analysis and sensory evaluation.

Formatted: Font: Italic

Formatted: Superscript

Formatted: Font: Italic

Sunny *et al.* (2019) investigated the substitution of mammalian milk in the diet of individuals with milk allergy and lactose intolerance. The study aimed to evaluate the effects of different combinations (40-60%) of millet milk and coconut milk for developing a plant-based milk alternative. Rathore *et al.* (2019) mixed fine malted flour with skim milk powder or whole milk powder, sugar, and desired flavoring substances to formulate milk-based beverages. The resulting beverage, named "ragi malt," was prepared. Prasad (2023) prepared a millet milk using barnyard millet, little millet, kodo millet, and finger millet, which serves as a substitute for dairy beverages and can be consumed by people of all age groups. Saraswathi and Hameed (2022) outlined the preparation of millet milk, involving the mixing of millet and water, grinding for 20 minutes, stirring the millet milk slurry well, filtering it through sieves, drying the slurries in a dryer using a standard procedure, collecting the dried millet milk powder from a stainless steel

Formatted: Font: Italic

Formatted: Font: Italic

cyclone in a glass jar, packing it in a glass bottle, and storing it at room temperature for further analysis.

5. Conclusions:

The review provides an in-depth exploration of the nutritional aspects of millets, delving into potential applications for the development of composite millet-milk products. Emphasizing the importance of incorporating millet into both milk and milk products, it highlights the role of millet as a delectable and nutritious alternative to traditional grains like wheat and rice. Millet not only enhances food security but also contributes to nutrition, health, livelihood, fodder, environmental balance, and ecological security within the country. While cereal crops such as rice and wheat are vital for ensuring food security, millet expands this role by offering a holistic security framework covering nutrition, health, livelihood, fodder, and ecological aspects. The overall health status of the global population is directly influenced by dietary choices, and millets stand out due to their elevated levels of carbohydrates, protein, fats, vitamins, minerals, magnesium, manganese, and phosphorus, positioning them as potential sources of antioxidant compounds. Despite milk being acknowledged as a complete food, its association with various health problems is linked to elevated levels of saturated fatty acids and a lack of dietary fiber. Recently, there has been a growing interest in leveraging a combination of millet and milk or milk products to craft composite dairy foods. This includes varieties such as fermented, frozen, heat-desiccated, acid-coagulated, and other complementary dairy products in the dairy industry.

Reference

Almeida Dominguez HD, Gomez MH, Serna-Saldivar SO (1990) Weaning Food from Composite of Extruded or Press Dried Pearl Millet and Cowpea. *Cereal Food World*. 35: 831p

Alwohaibi, AA, Ali AA (2022) Germination and Fermentation are Effective to Reduce The Antinutritive Factors of Millet: A-Review. *Journal of Food and Dairy Sciences*, 13(4), pp.77-81.

Amadou I, Gbadamosi OS, Le GW (2011) Millet-based traditional processed foods and beverages—A review. *Cereal Foods World*, 56(3), p.115.

Amadou I, Gounga ME, Le GW (2013) Millets: Nutritional composition, some health benefits and processing-A review. *Emirates Journal of Food and Agriculture*, pp.501-508.

Amirtha G, Vijaya Vahini R, Sarah Priscilla S (2021) Formulation and proximate evaluation of barnyard millet-based ice cream. *International Journal of Multidisciplinary Research in Arts, Science & Commerce*, Vol. 1(2) pp. 59-66

Aneja RP, Mathur BN, Chandan RC, Banerjee AK (2002) Technology of Indian milk products. A Dairy India pub, Delhi

Balasubramanian S (2013) Processing of Millets. Paper presented National Seminar on Recent Advances in processing, utilization and nutritional impact of small millets. Madurai Symposium, Thamukkam Grounds, Madurai, 13 September, 2013.

Baltensperger DD (1996) Foxtail and proso millet. Pages 182-190 in: Progress in New Crops. J. Janick, ed. ASHS Press, Alexandria, VA.

Bhatt D, Rasane P, Singh J, Kaur S, Fairros M, Kaur J, Gunjal M, Mahato DK, Mehta C, Avinashe H, Sharma N (2022) Nutritional advantages of barnyard millet and opportunities for its processing as value-added foods. *Journal of Food Science and Technology*, pp.1-13

Bhosale S, Desale RJ, Mukhekar A (2021) Physico-chemical composition of millet based kheer blended with paneer. *The Pharma Innovation Journal*, 10(4): 320-324

Bunkar DS, Jha A, Mahajan A, Unnikrishnan VS (2014) Kinetics of changes in shelf life parameters during storage of pearl millet based kheer mix and development of a shelf life prediction model. *Journal of food science and technology*, 51, 3740-3748.

Chandrasekara A, F Shahidi (2010) Content of insoluble bound phenolics in millets and their contribution to antioxidant capacity. *J Agric Food Chem.*, 58: 6706– 6714.

Chandrasekara A, Shahidi F (2012) Bioaccessibility and antioxidant potential of millet grain phenolics as affected by simulated in vitro digestion and microbial fermentation. *J Funct Foods* 4:226–237

Devi PB, R Vijayabharathi, S Sathyabama, NG Malleshi, VB Priyadarisini (2011) Health benefits of finger millet (*Eleusine coracana* L.) polyphenols and dietary fiber: a review. *J. Food Sci. Technol.*

Fan X, Li X, Zhang T, Guo Y, Shi Z, Wu Z, Pan D (2022) Novel millet-based flavored yogurt enriched with superoxide dismutase. *Frontiers in Nutrition*, 8, 1179.

FAO. (2009) FAOSTAT. Food and Agriculture Organisation of the United Nations. FAOSTAT.

Fasreen, MMF, Perera OD, Weerahewa, HLD (2017) Development of Finger Millet Based Probiotic Beverage Using *Lactobacillus casei*431®. *OUSL Journal*; 12(1):128-138

Geetha P, Preethi P (2020) Development of kodo millet based functional milk beverage. *IJCS*, 8(6), 1034-1037.

Gopalan C, Rama Sashtri BV, Balasubramanian SCN (1987) Nutritive Value of Indian Foods. National Institute of Nutrition ICMR, Hyderabad, India.

Gopalan C, Rama Sashtri BV, SC Balasubramanian (2009) Nutritive Value of Indian Foods, National Institute of Nutrition, Indian Council of Medical Research, Hyderabad, India. 99.

Guiro AT, Sall MG, Kane O (1987) Protein Calorie Malnutrition in Senegalese Children. Effects of Rehabilitation with a Pearl Millet Weaning Food. *Nutr. Rep. Int. (USA)*.

Hema V, Ramaprabha M, Saraswathi R, Chakkaravarthy PN, Sinija VR (2022) Millet Food Products. In *Handbook of Millets-Processing, Quality, and Nutrition Status* (pp. 265-299). Singapore: Springer Nature Singapore.

Jain S, Dabur RS, Bishnoi S (2016) Development of milk based malted finger millet (Ragi) porridge: effects of malting of finger millet on compositional attributes. *Haryana Veterinarian*, 55(2), 155-159.

Jamdar KS, Padghan PV, Pawar NR (2020) Process standardization and sensory properties of skim milk Lassi blended with extract of germinated bio-fortified sorghum (Parbhani shakti).

Jana kalinova (2007) Nutritionally important components of Proso millets (*Panicum miliceum L.*) food 1(1), 91-100 global science books

Karuppasamy P (2015) Overview on Millets. *Trends in Biosciences*, 8(13), pp.3269-3273.

Kaushik N, Yadav P, Khandal RK, Aggarwal M (2021) Review of ways to enhance the nutritional properties of millets for their value- addition. *Journal of Food Processing and Preservation*, 45(6), e15550.

Khurana HK, Kanawjia SK (2007) Recent trends in development of fermented milks. *Current Nutrition & Food Science*, 3(1), 91-108.

Kumar A, Kaur A, Tomer V, Rasane P, Gupta K (2020) Development of nutricereals and milk- based beverage: Process optimization and validation of improved nutritional properties. *Journal of Food Process Engineering*, 43(1), e13025.

Kumar A, Tomer V, Kaur A, Kumar V, Gupta K (2018) Millets: a solution to agrarian and nutritional challenges. *Agric Food Secur*, 7:31.

Kumar S, Rekha, LK Sinha (2010) Evaluation of quality characteristics of soy based millet biscuits. *Advances in Applied Science Research*. 1(3): 187-196.

Lakshmi KP, S Sumathi (2002) Effect of consumption of finger millet on hyperglycemia in non-insulin dependent diabetes mellitus (NIDDM) subjects. *Food Nutr. Bull.* 23(3):241-245.

Lei V, M Jacobsen (2004) Microbiological characterization and probiotic potential of koko and koko sour water, African spontaneously fermented millet porridge and drink. *J. Applied Microbiol.* 96:384–397.

Majumder PK, Kaur R, Singh B, Tripathi H (2023) Millets for Global Human Health–A comprehensive.

Mamtha HS, Begum M, Begum S (2003) Effect of storage on cooking and sensory quality of diabetic vermicelli from finger millet with hypoglycemic foods. In proceedings of recent trends in Millet Processing and Utilization, Hisar, India. 51-55

Modha H, Pal D (2011) Optimization of Rabadi like fermented milk beverage using pearl millet. *Journal of food Science and Technology*. 48(2):190-196.

More R, Thombre B, Londhe G, Sawant V (2020) Studies on effect of addition of Bajra flour on chemical properties of Dahi. *IJCS*, 8(5), 2272-2274.

Mugocha PT, Taylor JRN, Bester BH (2000) Fermentation of a composite finger millet dairy beverage. *World Journal of Microbiology and biotechnology*. 16:341-344.

Nazni P, Raisunnisa S (2022) Changes in textural and sensory characterization of Kodo millet paneer with various coagulants. *Journal of Food Measurement and Characterization*, pp.1-11.

NDRI (2008) Development of rabadi-like cereal based traditional fermented milk foods with extended shelf life. Annual Report 2007-08. National Dairy Research Institute, Karnal. pp. 41-43

Nisha N, Saravanakumar M (2019) Development of reciprocating cutter bar test rig for measurement of cutting force of finger millets. *Int J Curr Microbiol App Sci* 8(04):2441–2447

O.S.K.Reddy (2017), Smart Millet and Human Health, Green Universe Environmental Services Society

Obilana AB, Manyasa (2002) E. Millets. Pages 177-217 in: Pseudo Cereals and Less Common Cereals: Grain Properties and Utilization Potential. P. S. Belton, and J. R. N. Taylor, eds. Springer-Verlag, New York.

Pardhi PS, Desale RJ, Mule PR, Ghule BK, Tambe DR, Gavhane MS (2014) Studies on finger millet lassi. *Asian Journal of Dairy and Food Research*, 33(4), 255-258.

Patel IJ, Dharaiya CN, Pinto SV (2015) Development of technology for manufacture of ragi ice cream. *Journal of food science and technology*, 52, 4015-4028.

Patil JV (2017) Millets and sorghum: biology and genetic improvement. Wiley

Pradhan A, Nag SK, Patil SK (2010) Dietary management of finger millet controls diabetes. *Current Sci*. 98(6): 763-765.

Prasad S (2023) Application of millets in milk-millet based composite food: a review.

Rajini VC, Ranganna B, Suresha KB (2013) Development of Value Added Proso Millet Dahi. *editorial committee*, 47(4), 701-706.

Rani M (2018) Selection of suitable form of processing of cereal (pearl millet & moth bean) for preparation of whey-cereal based fermented beverage (Lassi) prepared by using ncdc-167 culture and 1% fat content. *Pharm Innov J*, 7(7), 790-5.

Rathore T, Singh R, Kamble DB, Upadhyay A, Thangalakshmi S (2019) Review on finger millet: Processing and value addition. *The Pharma Innovation Journal*, 8(4), 283-291.

Reddy VD, Rao KV, Reddy TP, Kishor PB (2008) Chapter 8: Finger Millet. In *Compendium of Transgenic Crops Plants; Cereals, T., Grasses, F., Kole, C., Hall, T. C., Eds.; Blackwell Publishing Ltd.: Oxford, UK, pp. 191-198*

S.S. Deshpande, D. Mohapatra, M.K. Tripathi and R.H. Sadvatha (2015) Kodo Millet- Nutritional Value and Utilization in Indian Foods, ICAR-Central Institute of Agricultural Engineering, Journal of Grain Processing and Storage , Vol 2: 16-23

Sangma DR, Mishra BK (2017) Studies of Sensory Evaluation and Shelf-Life of Foxtail Millet Based Softy Ice-Cream. IJSRST (3)8: 175-184

Sarita ES, Singh E (2016) Potential of millets: nutrients composition and health benefits. *Journal of Scientific and Innovative Research*, 5(2), pp.46-50.

Sehgal A, Kwatra A (2003) Processing and utilization of pearl millet for Nutrition Security. Proceeding of national seminar on Recent Trend in Millet Processing and Utilization held at CCS HAU, Hissar, India, (pp. 1-6)

Shahidi F, Chandrasekara A (2013) Millet grain phenolics and their role in disease risk reduction and health promotion: a review. *Journal of Functional Foods*, 5(2): 570-581

Sharma M, Singh AK, Yadav DN (2017) Rheological properties of reduced fat ice cream mix containing octenyl succinylated pearl millet starch. *Journal of Food Science and Technology*, 54, 1638-1645.

Sharma R, Singh AK, Nanda DK, Karri S (2015) Technologies for Commercialization (NDRI).

Sharma R, Singh AK, Sarkar P (2017) Technologies Available at NDRI for Commercialization.

Shashi BK, S. Sharan, S. Hittalamani, A. G. Shankar, TK Nagarathna (2007) Micronutrient composition, antimicronutrient factors and bioaccessibility of iron in different finger millet (*Eleusine coracana*) genotype. *Karnataka J. Agric. Sci.* 20(3):583-585.

Sheela P, moorthy UmaMaheswari, T Kanchana, Kamalasundari S, Hemalatha G (2018) Development and evaluation of fermented millet milk based curd. *Journal of Pharmacognosy and Phytochemistry*, 7(4), 714-717.

Shingare JD, Chavan SD, Shelke RR, Shegokar SR (2022) Studies on sensory evaluation of misti dahi blended with foxtail millet and finger millet flour. *The Pharma Innovation Journal*, 11(11): 346-348

Shree B, Rao SG, S Puttaraj (2008) Formulation and preparation of bajra papad. *Ind. J. Nutr. Dietet.*, 45: 221

Shweta Malik, (2015) PEARL Millet-Nutritional Value And Medicinal Uses (Food & Nutrition) Dept. of Home Science, B.P.S Women's University KhanpurKalan (Hry) www.ijariie.com, Vol-1 Issue-3

Singh E (2016) Millet's anti-nutrients and their therapeutic effects. *The Pharma Innovation*, 5(8, Part A), 42.

Sripriya G, Chandrashekhara K, Murty VS, Chandra TS (1996) ESR spectroscopic studies on free radical quenching action of finger millet (*Eleusine coracana*). *Food Chemistry*, 57(4): 537-540

Sujith P, Divya KB, Mohammad KP (2021) Development of Burfi Incorporated with Foxtail Millet (*Setaria italica*) Research & Reviews: *Journal of Agriculture and Allied Sciences*.

Sunny JD, Kundu P, Mehla R (2019) Preparation and Physicochemical Evaluation of Dairy Free Alternative Based on Coconut and Millet Milk.

Thilagavathy S, Muthuselvi (2010) Development and evaluation of millets incorporated chappathi on glycemic response in type II diabetics. Ind. J. Nutr. Dietet., 47: 42-50

Upadhyaya HD, Gowda CLL, Reddy VG (2007) Morphological diversity in finger millet germplasm introduced from Southern and Eastern Africa, The Journal of Semi-Arid Tropical Agricultural Research. 3: 1-3

Usha A, Sripriya G, Chandra (1996) T. S. The effect of fermentation on the primary nutrients in foxtail millet (*Setaria italica*). Food Chem. 56:381.

Verma V, Patel S (2013) Value added products from nutri-cereals: Finger millet (*Eleusine coracana*). Emirates Journal of Food and Agriculture, 169-176.

Vijayalakshmi P, R Radha (2006) Effect of little millet supplementation on hyperlipidaemia. Ind. J. Nutr. Dietet., 43: 469-474.

Xavier E, Rajan R, Bhavya EP (2021) a study on nutritional properties of millet based muskmelon kulfi. life sciences for sustainable development, 57.

Xue YY, Li P, Lin QB (2008) Research evolution chemical components and physical character of foxtail millet. J. Chin. Cereals Oils Assoc. 22:51.

Comment [D7]: References not properly constructed. There should be full stop in between two initials and after the year before the title. For example

Alwohaibi, A.A., Ali, A.A. (2002). Germination and Fermentation are Effective to reduce the antinutritive factors of millet: A review. Journal of Food and dairy Science. 13(4), pp. 77-81

Comment [D8]: