

## Original Research Article

# Value chain analysis of cattle feed market in Banaskantha district

### ABSTRACT

This study focused on the effectiveness of the feed industry and the performance of the value chain when mapping the cattle feed value chain in the Banaskantha district of Gujarat state. Total of a ten feed manufacturing units and 120 farmers were selected for the study. The study was based on primary data and secondary data, the primary data were collected through personal interview with the help of structured survey schedule. Secondary data on livestock population were collected through the livestock census, Department of Animal Husbandry, Dairying and Fisheries, Ministry of Agriculture, Govt. of India. A multi stage random sampling method was adopted as appropriate sampling procedure for the study. Banaskantha district was purposively selected for the study as Banaskantha district is having highest livestock population in overall Gujarat State. Four talukas from Banaskantha district were selected randomly and feed manufacturing units were selected by snowball sampling method. From each taluka, five villages were selected randomly. From each village, six farmers were selected randomly. The study focused on buying behaviour of farmer regarding cattle feed purchase and to estimate demand of concentrates feed requirement for the future in Banaskantha district. The study found that among the eight explanatory (independent) variables, five variables viz., livestock population, farm size, feed price, income from livestock, total feed fed per day were found to be significantly associated with expenditure of cattle feed price per animal per month and other variables such as average age of the animal, technology adoption and distance from buying location were statistically non-significant. The required feed demand for future livestock populations in Banaskantha district are 3651480 metric tonnes, 4487461 metric tonnes, 5514543 metric tonnes, 6774097 metric tonnes and 8315523 metric tonnes for the year 2024, 2029, 2034, 2039 and 2044 respectively.

**Keywords:** (Cattle feed, Value chain, Livestock census, Multistage random sampling, Concentrates feed, independent variables)

### 1. INTRODUCTION

Livestock sector is an important sub sector of agriculture in the Indian economy. It grew at a CAGR of 7.93 per cent during 2014-15 to 2020-21 (at constant prices). The contribution of livestock in total agriculture and allied sector GVA (at constant prices) has increased from 24.32 per cent (2014-15) to 30.13 per cent (2020-21). Livestock sector contributed 4.90 per cent of total GVA in 2020-21 (PIB, 2023). India has vast resources of livestock and poultry, which play a vital role in improving the socio-economic conditions of rural masses. There are about 303.76 million bovines (cattle, buffalo, mithun and yak), 74.26 million sheep, 148.88 million goats, 9.06 million pigs and about 851.81 million poultry as per 20<sup>th</sup> Livestock Census in the country.

Dairy is the single largest agricultural commodity contributing 5.00 per cent of the national economy and employing more than 8 crore farmers directly. India is ranked 1<sup>st</sup> in milk production contributing 23 per cent of global milk production. Milk production has increased by 51.05 per cent over the past 8 years from 146.3 million [tonnes](#) during 2014-15 to 221.06

Commented [LDPA1]: Please check

million tonnes during 2021-22. Increasing population, rising income, rapid urbanization and greater economic liberalization makes it imperative to increase the production of animal food substantially to cope up with the expected rise in its demand which is about to increase 44 per cent by 2030. The role of feed in increasing production of animal food needs no emphasis. India is deficient in fodder and its availability is shrinking day by day due to decrease in cultivable area and increased share in food crop production, necessitate greater emphasis on compound feeds.

At present the estimated annual availability of total concentrate feed is only 61 million tonnes against a demand of 96 million tonnes, indicating a deficit of 36 per cent at national level (Anonymous, 2018) that indicates the need for development of livestock feed industry by improving the feed value chain.

## 2. METHODOLOGY

The multistage sampling technique was adopted as per the objective of the study. In the first stage, Banaskantha district was purposively selected for the study as Banaskantha district is having highest livestock population Gujarat State. At the second stage, four talukas from Banaskantha district were selected randomly and feed manufacturing units were selected by snowball sampling method. At the third stage from each taluka, five villages were selected randomly. From each village, six farmers were selected randomly. A sample size of 10 feed manufacturing units and a sample size 120 farmers from 20 villages of four talukas from Banaskantha district namely Dantiwada, Deesa, Palanpur and Dhanera were selected for the research study.

To study the buying behaviour of farmer regarding cattle feed, multiple regression method was used. From the selected farmers, relevant data were collected so as to achieve the objective of the study.

### Multiple linear regression analysis:

The collected data were analyzed by using multiple linear regression function of the following form was fitted to study the relationship between expenditure of cattle feed price per animal per month (dependent variable) and independent variables (Table 1).

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \beta_3 X_3 + \beta_4 X_4 + \beta_5 X_5 + \beta_6 X_6 + \beta_7 X_7 + \beta_8 X_8 + \mu$$

Where, Y= Expenditure on cattle feed price per animal (in rupees)

$\beta_0$  is the intercept and  $\beta_1, \beta_2, \dots, \beta_8$  are coefficients of the variables  $X_1, X_2, \dots, X_8$  are variables and  $\mu$  is error term.

**Table 1: Description of variables used in multiple linear regression analysis for factors influencing expenditure on cattle feed price per animal per month in rupees.**

|    |                                                                                                                                                                  |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| X1 | Livestock population (number of animals)                                                                                                                         |
| X2 | Feed price (kg)                                                                                                                                                  |
| X3 | Farm size (bigha)                                                                                                                                                |
| X4 | Average age of the animal (years)                                                                                                                                |
| X5 | Income from livestock (rupees)                                                                                                                                   |
| X6 | Technological adoption (no technology-1, any one technology-2, any two technology-3, any three technology-4, any four technology-5, more than four technology-6) |
| X7 | Distance from buying location (km)                                                                                                                               |
| X8 | Total feed fed for animals per day (kg)                                                                                                                          |

For the variable, technology adoption, the following technologies were considered for the study and accordingly score was given.

**Table 2: Description of technologies adopted by farmer**

| S. No | Type of technology     | Technology adopted |
|-------|------------------------|--------------------|
| 1.    | No technology adoption |                    |
| 2.    | Automatic water        |                    |
| 3.    | Automatic feed         |                    |

|    |                 |  |
|----|-----------------|--|
| 4. | Pakka shed      |  |
| 5. | Milking machine |  |
| 6. | Mineral mixture |  |

The estimation of demand of feed was worked out through different standards as estimated by the FAO, NATP and our own primary data with the help of livestock population data and their per day consumption in different stages of life, species, age and sex of the animal. The methodology is explained in detail as follows:

Firstly, the projected future population of livestock census is calculated by using formulae compound annual growth rate (CAGR) and exponential growth based on historical data of livestock census of Banaskantha district.

The CAGR formula is:

$$\text{CAGR} = (\text{ending value} / \text{beginning value})^{1/n} - 1$$

Where n is number of years

Exponential growth formula is:

$$Y_t = Y_0 \times (1 + r)^t$$

Where,

$Y_t$  = the future population year

$Y_0$  = the current population

r = compound annual growth rate of livestock population

t = numbers of years under projection

**Table 3: Feeding allowances for dairy cattle and buffalo**

| Type of cattle                            | Stage of the cattle                | Green fodder (kg/day/animal) | Dry fodder (kg/day/animal) | Concentrates (kg/day/animal) |
|-------------------------------------------|------------------------------------|------------------------------|----------------------------|------------------------------|
| <b>Cow</b><br>(Average weight 250 kg)     | Milk yield 5 litres/day            | 15                           | 5.0                        | 2.0                          |
|                                           | Milk yield 5 to 10 litres/day      | 17.5                         | 5.5                        | 3.0                          |
|                                           | Milk yield 10 to 15 litres/day     | 20.0                         | 6.0                        | 4.0                          |
| <b>Cow in gestation</b>                   | -                                  | 15.0                         | 5.0                        | 1.5                          |
| <b>Buffalo</b><br>(Average weight 400 kg) | Milk yield 5 litres/day            | 15.0                         | 5.0                        | 2.5                          |
|                                           | Milk yield 5 to 10 litres/day      | 20.0                         | 6.0                        | 4.0                          |
|                                           | Milk yield more than 10 litres/day | 25.0                         | 7.0                        | 5.0                          |
| <b>Bull</b><br>(Average weight 300 kg)    | During days of work                | 20.0                         | 7.0                        | 2.0                          |
|                                           | During days of no work             | 15.0                         | 5.5                        | 1.0                          |

Source: Feeding management for cattle and buffalo, TNAU

([http://www.agritech.tnau.ac.in/expert\\_system/cattlebuffalo/Feeding%20management.html](http://www.agritech.tnau.ac.in/expert_system/cattlebuffalo/Feeding%20management.html))

The estimation of feed requirement for the livestock was worked out only for a major ruminant species such as cattle and buffalo as they consume a major share of feed resources

available. The body size and their feed requirement of cattle and buffalo have been worked out based on data of feeding allowance of cattle and buffalo (Table 3) given by TNAU.

From the Table 3 the milking cow at the stage of milk yield 5 to 10 ~~litres~~ liters per day consumes about 3 kg concentrate feed and at the time of gestation it consumes 1.5 kg of concentrates feed per day is considered to calculate the annual concentrates feed requirement. Similarly, the milking buffalo at the stage of milk yield 5 to 10 litres per day consumes about 4 kg concentrate-of concentrated feed and at the time of bull it consumes 2 kg of concentrated feed per day is considered.

Commented [LDPA2]: Please check

The total requirement of concentrated feed was calculated by using the data of feeding allowance of cattle and buffalo as provided in Table 3. The animals' category-wise data was calculated by assuming a forty per cent of dry animal and a sixty per cent of milking animal from the given population. The requirement of concentrates feed was calculated individually and the aggregate demand was calculated by summing up of all categories. Further, an attempt was also made to estimate the demand of concentrated feed for the projected future population.

### 3. RESULTS AND DISCUSSION

#### 3.1 Buying behavior of farmers regarding cattle feed purchase

Multiple linear regression was carried out to predict the contribution of independent variables on the expenditure of cattle feed price per animal per month and the results were furnished in (Table 4).

**Table 4: Factors influencing the expenditure of cattle feed price per animal per month (In rupees)**

| S. No | Variables                                          | Regression coefficients | Standard error | Probability level |
|-------|----------------------------------------------------|-------------------------|----------------|-------------------|
| 1     | Intercept                                          | -71.319                 | 1186.731       | 0.952             |
| 2     | Livestock population (no. of animals)              | -676.959                | 99.765         | 0.000**           |
| 3     | Feed price ( per kg)                               | 243.250                 | 33.650         | 0.000**           |
| 4     | Farm size ( in bigha)                              | -35.977                 | 12.639         | 0.005*            |
| 5     | Income from livestock ( in rupees)                 | -0.0048                 | 0.0016         | 0.003*            |
| 6     | Average age of animal ( in years)                  | -187.341 <sup>NS</sup>  | 95.462         | 0.089             |
| 7     | Technological adoption                             | 197.818 <sup>NS</sup>   | 115.564        | 0.052             |
| 8     | Distance from buying location (in kilometers)      | 40.394 <sup>NS</sup>    | 113.841        | 0.723             |
| 9     | Total feed fed for animals per day (in kilometers) | 100.224                 | 7.583          | 0.000**           |

Dependable variable Y = expenditure of cattle feed price per animal per month (in rupees)

N = 120

F value = 44.193\*\*

R<sup>2</sup> = 0.76

Adjusted R<sup>2</sup> = 0.74

P\* < 0.05, P\*\* < 0.01

On perusal of the table, it could be noted that the computed F-value of the function was 44.19 and it statistically significant at 1 per cent level (P < 0.01), indicating that a definite statistical relationship exists between the dependent variable and the independent variables.

The coefficient determination (adjusted  $R^2$ ) was 0.74 which indicates that all the explanatory variables explained 74 per cent of the variation in dependent variable. The independent variables were livestock population, feed price, farm size, average age of the animal, income from livestock, technology adoption, distance from buying location, total feed fed per day.

Among the eight explanatory (independent) variables, five variables viz., livestock population, farm size, feed price, income from livestock, total feed fed per day were found to be significantly associated with expenditure of cattle feed price per animal per month and other variables such as average age of the animal, technology adoption and distance from buying location were statistically non-significant.

The variable of livestock population is a negative coefficient and is statistically significant ( $p < 0.001$ ). It suggests that an increase in the number of animals is associated with a decrease in expenditure. This might seem counterintuitive, but it could indicate economies of scale where larger farms spend less per animal. The variable of farm size is also a negative coefficient and statistically significant ( $p = 0.005$ ). This suggests that as farm size increases, expenditure decreases. This might indicate that larger farms manage to reduce costs through more efficient resource utilization.

The variable of feed price per kilogram is positive coefficient and is statistically significant ( $p < 0.001$ ). Higher feed prices lead to increased expenditure, as expected, since more costly feed directly raises overall costs. The variable of income from livestock is negative coefficient and statistically significant ( $p = 0.004$ ). It suggests that higher income from livestock is associated with lower expenditure. This could indicate that more profitable farms manage their costs better or reinvest income in cost-saving technologies or practices. The variable of technological adoption is positive coefficient but not statistically significant ( $p = 0.090$ ), suggesting that investments in technology can increase expenditure. This could be due to the cost of acquiring and maintaining technological equipment. The variable of average age of animal shows negative coefficient is marginally significant ( $p = 0.052$ ). It suggests that older animals are associated with lower expenditures, possibly due to reduced costs associated with maintaining older animals versus younger ones.

The variable of feed fed to animal per day is positive coefficient and highly significant ( $p < 0.001$ ). It indicates that more feed fed to animals per day increases expenditure, as expected, since feeding animals more incurs higher costs. Similar findings were found in the Senthilkumar (2002).

### 3.2 Estimation of demand for concentrates feed requirement for the future in Banaskantha district.

There is a direct relation between the nutritional status of the animals and the type of feed fed. For getting the best results, feeding of animal need planned scientific, practical as well as economical approach. Livestock feeds are generally classified as roughages and concentrates. Roughages are further classified into green fodder and dry fodder. Green fodder are cultivated and harvested for feeding the animals in the form of forage (cut green and fed fresh), silage (preserved under anaerobic condition) and hay (dehydrated green fodder). Fodder production and its utilization depend on various factors like cropping pattern followed, climatic condition of the area as well as the socio-economic conditions of the household and type of livestock reared.

**Table 5: Livestock census of Banaskantha district**

| Year | Cattle population | Buffalo population |
|------|-------------------|--------------------|
| 1992 | 437200            | 452000             |
| 1997 | 359300            | 538000             |
| 2003 | 494841            | 715000             |
| 2007 | 660113            | 955000             |
| 2012 | 654167            | 945346             |
| 2019 | 1390357           | 1501537            |

(Source: 15<sup>th</sup>, 16<sup>th</sup>, 17<sup>th</sup>, 18<sup>th</sup>, 19<sup>th</sup> and 20<sup>th</sup> livestock census, Department of Animal Husbandry, Dairying and Fisheries, Ministry of Agriculture, Govt. of India.)

The cattle and buffaloes are normally fed on the fodder available from cultivated areas, supplemented to a small extent by harvested grasses. The major sources of fodder supply are crop residues, cultivated fodder and fodder from common property resources like forests, permanent pastures and grazing lands.

By Calculating Compound Annual Growth Rate (CAGR) based on historical data, the CAGR for cattle is **4.2 per cent** and CAGR for buffalo is **4.5 percent**

### 3.2.1 Projected Future Livestock Populations

By using the calculated CAGR of cattle and buffalo, the projected future population of livestock census for the years 2023, 2028, 2033, 2038, and 2043 is calculated by using formula

$$\text{Future Population}_{\text{year}} = \text{Current Population} \times (1 + \text{CAGR})^{(\text{year} - 2019)}$$

**Table 6: Projected future livestock populations estimates**

| Year | Projected Cattle Population | Projected Buffalo Population |
|------|-----------------------------|------------------------------|
| 2023 | 1700570                     | 1850840                      |
| 2028 | 2079140                     | 2282649                      |
| 2033 | 2541527                     | 2815210                      |
| 2038 | 3105358                     | 3470722                      |
| 2043 | 3791708                     | 4275674                      |

(Assumption: 60 per cent is considered as milking animal and 40 per cent as dry animal)

Notes: \*estimates based on past livestock censuses published by the Directorate of Economics and Statistics and Department of Animal Husbandry and Dairying

To estimate the demand of concentrates feed for milking and dry animals based on the projected future livestock populations, the specific feed requirements for milking animal and dry animal was considered. From the Table 3 as mentioned in methodology, feeding allowances for dairy cattle and buffalo, the milking cow at the stage of milk yield 5 to 10 liters per day consumes about 3.0 kg concentrates feed and at the time of gestation it consumes 1.5 kg of concentrates feed per day is considered to calculate the annual concentrates feed requirement. Similarly the milking buffalo at the stage of milk yield 5 to 10 liters per day consumes about 4.0 kg concentrate feed and at the time of bull it consumes 2.0 kg of concentrates feed per day is considered. The annual concentrates feed requirement per animal is as shown in Table 7.

**Table 7: Annual concentrated feed requirement per animal (kg/year)**

| Particulars   | Cows<br>( average body weight 250 kg) | Buffaloes<br>( average body weight 400 kg) |
|---------------|---------------------------------------|--------------------------------------------|
| Milking stage | 1095 kg                               | 1460 kg                                    |
| Dry stage     | 547.5 kg                              | 730 kg                                     |

### Feed demand for future livestock populations in Banaskantha district

**Table 8: Estimate demand of concentrates feed requirement for future livestock population in Banaskantha district**

| population in Banaskantha district                     |            |         |                                      |          |                                       |          |                          |
|--------------------------------------------------------|------------|---------|--------------------------------------|----------|---------------------------------------|----------|--------------------------|
| Estimates of concentrates feed in Banaskantha district |            |         |                                      |          |                                       |          |                          |
| Year                                                   | Population |         | Concentrates feed for cattle (in MT) |          | Concentrates feed for buffalo (in MT) |          | Total feed required (MT) |
|                                                        | Cattle     | Buffalo | In milking                           | Dry      | In milking                            | Dry      |                          |
| 2023                                                   | 1700570    | 1850840 | 1117274                              | 372424.8 | 1621336                               | 540445.3 | 3651480                  |
| 2028                                                   | 2079140    | 2282649 | 1365995                              | 455331.7 | 1999601                               | 666533.5 | 4487461                  |
| 2033                                                   | 2541527    | 2815210 | 16697783                             | 55654.4  | 2466124                               | 822041.3 | 5514543                  |
| 2038                                                   | 3105358    | 3470722 | 2040220                              | 680073.4 | 3040352                               | 1013451  | 6774097                  |
| 2043                                                   | 3791708    | 4275674 | 2491152                              | 830384.1 | 3745490                               | 1248497  | 8315523                  |

Source: estimated using information from Table 6 & 7

On multiplying the estimated feed consumption rates for cattle and buffalo (reported in Table 7) by their respective projected livestock populations we arrived the required feed

demand for future livestock populations in Banaskantha district are 3651480 MT, 4487461 MT, 5514543 MT, 6774097 MT and 8315523 MT for the year 2023, 2028, 2033, 2038 and 2043 respectively.

#### 4. CONCLUSION

The result showed that among the eight explanatory (independent) variables, six variables viz., livestock population, farm size, feed price, income from livestock, average age of the animal, total feed fed per day were found to be significantly associated with expenditure of cattle feed price per animal per month and other variables such as technology adoption and distance from buying location were statistically non-significant. The required concentrates feed demand for future livestock populations in Banaskantha district are 3651480 MT, 4487461 MT, 5514543 MT, 6774097 MT and 8315523 MT for the year 2023, 2028, 2033, 2038 and 2043 respectively.

#### REFERENCES

1. Anonymous (2024<sup>b</sup>). Feeding management for cattle and buffalo, TNAU Agritech portal. Available at [http://www.agritech.tnau.ac.in/expert\\_system/cattlebuffalo/Feeding%20management.html](http://www.agritech.tnau.ac.in/expert_system/cattlebuffalo/Feeding%20management.html) accessed > on 5<sup>th</sup> January, 2024.
2. Anonymous. (2018). Demand and supply projections towards 2033: Crops, livestock, fisheries and agricultural inputs. The Working Group Report (February, 2018). NitiAyog, New Delhi.
3. Chand., Sirohi., Sirohi., and Chahal, (2015). Estimation of demand and supply of livestock feed and fodder in Rajasthan: A disaggregated analysis. *The Indian Journal of Animal Sciences*. **81**: 1229-1234.
4. Dikshit, A. K. and Birlhal, P. S. (2010). India's Livestock Feed Demand: Estimates and Projections. *Agricultural Economics Research Review*, **23**: 15-28.
5. GOG (2017). 19<sup>th</sup> livestock census, Gujarat state. Directorate of Animal Husbandry, Government of Gujarat, Gandhinagar, Gujarat. Available at <https://doah.gujarat.gov.in/livestock-census.htm> > accessed on 5<sup>th</sup> January, 2024.
6. GOG (2018). 20<sup>th</sup> livestock census, Gujarat state. Directorate of Animal Husbandry, Government of Gujarat, Gandhinagar, Gujarat. Available at <https://doah.gujarat.gov.in/livestock-census.htm> > accessed on 5<sup>th</sup> January, 2024.
7. GOI (1972, 1997, 2003, 2007, 2012, 2019). 15<sup>th</sup>, 16<sup>th</sup>, 17<sup>th</sup>, 18<sup>th</sup>, 19<sup>th</sup> and 20<sup>th</sup> livestock census, Department of Animal Husbandry, Dairying and Fisheries, Ministry of Agriculture, Government of India.
8. GOI (2016). Standing Committee on Agriculture (2016-17) - Thirty Fourth Report on Steps Taken to Bridge the Gap Between the Demand and Availability of Fodder through Sub-Mission on Fodder and Feed Development. Ministry of Agriculture and Farmers Welfare. Government of India.
9. GOI (2017). National Action Plan-Feed & Fodder by December 12. Department of Animal Husbandry, Dairying and Fisheries. Ministry of Agriculture. Krishi Bhawan. New Delhi. Available at <http://dahd.nic.in/news/national-action-plan-feed-fodder-12122017> > accessed on 6<sup>th</sup> January, 2024.
10. Kalamkar, S.S.; H. Sharma and M. Makwana (2020). Assessment of Livestock Feed and Fodder in Gujarat, AERC Report No. 193, Agro-Economic Research Centre, Sardar Patel University, Vallabh Vidyanagar, Anand, Gujarat.

Formatted: Font color: Red

11. PIB (2023). Govt. of India. Brief note on 9 years' achievement of Department of Animal Husbandry and Dairying, Ministry of Fisheries, Animal Husbandry and Dairy. Available at <https://pib.gov.in/PressReleaseframePage.aspx?PRID=1935628> > accessed on 6<sup>th</sup> January, 2024.

UNDER PEER REVIEW