

A key Factor for purchasing Electric two wheeler, An analysis in Coimbatore city

ABSTRACT

Aim: The aim of the study was to examine which factor is influencing to purchase decision of respondents about electric two wheelers. primary data has been collected from 120 respondents through interview using well-structured questionnaire from Coimbatore district of Tamil Nadu. Factor analysis is used to know the clear picture about major influencing factor used as a deciding factor for purchase of electric two wheelers. The conclusion of this study was which factor is influencing to purchase decision of respondent about electric two wheelers. Electric two wheeler are protecting the global from global warming. From the study the respondents are shifting to battery based vehicles or bikes because some of respondents are concerns about environmental issue and society are stating that the COVID-19 pandemic has heightened awareness and concern about environmental issues.

Key words: Electric two wheeler, factor analysis, environmental issue.

1. INTRODUCTION:

Although the fast expansion of the global economy and technology has enhanced human civilization, it has also caused great harm to the global natural environment [1]. As the biggest oil importer in the world [2], China urgently needs alternative energy options. However, solar energy, hydrogen fuel, and nuclear power are technologically sophisticated and cannot attain large production in a short period. Electric energy, as a practical energy alternative at now, may address the country's dependency on oil resources to a certain level [3]. One of the primary factors for environmental pollution is the enormous growth in automobile ownership and usage [4]. According to statistics from the International Energy Agency (IEA), there are currently about 1 billion vehicles in the world, which consume about 60 million barrels of oil per day (about 70 percent of total oil production); private vehicles consume an average of about 36 million barrels of oil per day, while emitting 14 million tons of carbon dioxide [5]. Therefore, one of the answers to environmental challenges is to replace old automobiles with new energy vehicles [6]. Since the proclamation of the "Energy Saving and New Energy Vehicle Industry Development Plan (2012–2020)" by the General Office of the State Council, the Chinese government has chosen a strategy of pure electric driving technology. The electric car market in China has risen significantly, making China the biggest electric vehicle market in the world [7,8]. Hence, study on the state of electric cars in China is extremely relevant and of reference value for other nations to develop electric vehicles. From an energy standpoint, more plentiful energy sources for automobiles will enhance the dependability and balance of energy use. Coupled with the intelligent development of electric cars, traffic situation and road utilization will be considerably improved [9]. The IEA (2017a) has revealed that, based on vehicle fuel cycle estimates, electric passenger cars in Europe in 2015 released 50 percent less carbon dioxide than gasoline vehicles and 40 percent less carbon dioxide than diesel vehicles. When emissions connected to vehicle production are addressed, carbon dioxide emissions are lowered [10]. However, Ellingsen et al. clearly stated that, considering the full life cycle of vehicles (manufacture, usage, and scrap), under the

current European electricity production structure, pure electric vehicles can reduce greenhouse gas emissions by about 30 percent compared to internal combustion engine vehicles. For nations with carbon-intensive power generation architectures (such as India and China), with the whole life cycle of cars considered, the decrease may even be larger [11]. With the twin pressure of resource reduction and environmental changes, electric cars will become the major development trend of the future automotive industry. Therefore, it is a significant problem to produce low-carbon, energy-saving, and intelligent electric cars to lessen environmental effect. This paper studies consumers' views of electric vehicles in an unstable world, and examines the factors influencing consumers' recognition of electric vehicles, in order to improve the penetration of electric vehicles into the market and to provide benchmark recommendation for the future research teams.

2. MATERIALS AND METHODS:

Simple random and purposive sampling technique was used to collect the data from the respondent. Primary data has been collected from 120 respondents through online interview using well-structured questionnaire. The survey was carried out in Coimbatore district of Tamil Nadu. The data collected was analyzed using the Statistical Package for Social Sciences (SPSS). To satisfy the objective, Exploratory

Table.1 List of Variables

Factor Analysis (EFA) was used the following statements.

Price
References
Beneficial financial or insurance options
Positive environmental effect
New trends
Cheaper in operation
Promotion
Test drives
Low noise level
Limited range
Lack of consumer choice
Unwillingness to change a lifestyle
Price
Lack of trust to new technologies

The responses for the statements were measured using a five-point scale from "strongly encouraging" to "strongly not encouraging" (Strongly Encouraging=5, Encouraging= 4, Neutral= 3, Not Encouraging=2, Strongly Not Encouraging=1).

3. RESULTS AND DISCUSSION:

Exploratory Factor Analysis was applied in this study using principal component analysis with varimax rotation. The goal of using Exploratory Factor Analysis with Principal Component Analysis is to get as

much variation from the concept as possible. It covers correlation testing with Kaiser-Meyer-Olkin (KMO) and Bartlett's test of sphericity.

Table.2 KMO and Bartlett's Test		
Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.650
Bartlett's Test of Sphericity	Approx. Chi-Square	440.466
	df	91
	Sig.	.000

From Table.2 the KMO index of sampling adequacy is 0.650, indicating that the data is appropriate for factor analysis. According to Tabachnick and Fidell (2007), values more than 0.5 are appropriate for factor analysis, whereas values less than 0.5 are unsuitable. From the Bartlett's test, the value of chi-square is 440.466 with the degree of freedom is 91 with significance ($p < 0.000$) which demonstrating the data is suitable for factor analysis.

Table.3 Total Variance Explained									
Component	Initial Eigenvalues			Extraction Sums of Squared Loadings			Rotation Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	3.007	21.481	21.481	3.007	21.481	21.481	2.331	16.647	16.647
2	2.476	17.688	39.170	2.476	17.688	39.170	2.240	15.997	32.645
3	1.591	11.367	50.537	1.591	11.367	50.537	1.788	12.769	45.414
4	1.050	7.501	58.038	1.050	7.501	58.038	1.767	12.624	58.038
5	.969	6.925	64.963						
6	.925	6.610	71.573						
7	.774	5.528	77.101						
8	.749	5.348	82.449						
9	.567	4.050	86.500						
10	.530	3.789	90.288						
11	.430	3.072	93.360						
12	.394	2.817	96.177						
13	.284	2.029	98.206						
14	.251	1.794	100.000						
Extraction Method: Principal Component Analysis									

Table 3 displays the Eigenvalue as well as the proportion of variation. Items with Eigenvalues higher than one are kept for interpretation. The first component accounts for 21.48 per cent of the

variance, the second for 17.68 per cent, the third for 11.36 per cent, the fourth for 7.50 per cent, the fifth for 6.92 per cent, the sixth for 6.61 per cent, and the seventh for 5.52 per cent of the variance, with Eigenvalue more than one for all the factors. As a result, the all seven variables are retained for interpretation, which totally explained 58.038 percent of the variation

Table.4 Rotated Component Matrix				
Variables	Component			
	1	2	3	4
Price	.772	-.137	-.011	-.126
References	.720	-.245	-.084	-.364
Beneficial financial or insurance options	.388	.415	.221	.259
Positive environmental effect	.343	-.071	.236	-.645
New trends	.283	.116	.274	.558
Cheaper in operation	-.022	-.580	.033	-.259
Promotion	-.109	.169	.209	.676
Test drives	.267	-.687	.160	-.204
Low noise level	.582	.206	-.029	.426
Limited range	.580	.230	.158	.027
Lack of consumer choice	.253	.668	.073	.145
Unwillingness to change a lifestyle	-.039	.763	.112	-.123
Price	-.113	.083	.849	.199
Lack of trust to new technologies	.175	-.046	.875	-.019
Extraction Method: Principal Component Analysis. Rotation Method: Varimax with Kaiser Normalization.				

Table 4 illustrates the rotated component matrix obtained by employing a principal component analysis technique for variable extraction using the varimax rotation method. It offers the factor loading by rotating the variables, and the higher the loading, the variable is a pure measure factor. The items are

rotated and grouped under a factor that is associated with one another, yielding seven factors with factor loadings greater than 0.3.

Table.5 Components Extracted				
Components	Factor Names	Variance explained	Factor Loadings	Variables
1.	Price	21.48	.772	Price
			.720	References
			.388	Beneficial financial or insurance options
			.343	Positive environmental effect
2.	Promotions, offers and development	17.68	.283	New trends
			-.022	Cheaper in operation
			-.109	Promotion
			.267	Test drives
3.	Consumers needs and Environment concern	11.37	.582	Low noise level
			.580	Limited range
			.253	Lack of consumer choice
			-.039	Unwillingness to change a lifestyle
			-.113	Price
			.175	Lack of trust to new technologies

From Table.5, it is concluded that the factor 1 described that price of Electric two wheeler which is named as Price. This factor includes the variables such as “Price”(.772), “References”(.720), “Beneficial financial or insurance options”(.388), “Positive environmental effect(.343)”.

Factor 2 is described as business development services needed at the beginning of the Sales of Electric two wheeler, hence, it is named as Promotions, offers and development. This factor includes the variables such as “New trends”(.283), “Cheaper in operation”(.022), “Promotion”(.109), “Test drives”(.267).

Factor 3 is described as Environmental concerns needed Conventional two wheeler usage in roads, hence, it is named as Consumers needs and Environment concern. This factor includes the variables such as “Low noise level”(.582), “Limited range”(.580), “Lack of consumer choice”(.253), “Unwillingness to change a lifestyle”(.039), “Price”(.113) and “Lack of trust to new technologies”(.175).

4. CONCLUSION

The purpose of this study was to find out the factors influencing among customers to purchasing electric two wheeler in Coimbatore city. From this study we can conclude that Factor 1 it includes Price, References, Beneficial financial or insurance options, Positive environmental effect. These factors are mostly influenced among customers to purchase electric two wheelers.

5. REFERENCES

1. Tu, J.C. Product Sustainable Design—Green Design in Theory and Practice; Asia Pacific Press: Taipei, Taiwan, 2002; ISBN 986-7809-03-3.
2. Shih, L.H. Green Innovation and Product Development; Tsang Hai Book Publishing Co.: Taichung, Taiwan, 2010; ISBN 977-986-6507-64-9.
3. Liu, Y.L. Research and Discussion on the Development Trend of New Energy Vehicles. *Coast. Enterp Sci. Technol.* 2008, 5. [CrossRef]
4. Hao, Y.; Dong, X.Y.; Deng, Y.X.; Li, L.X.; Ma, Y. What influences personal purchases of new energy vehicles in China? An empirical study based on a survey of Chinese citizens. *J. Renew. Sustain. Energy* 2016, 8, 065904. [CrossRef]
5. Sang, Y.N.; Bekhet, H.A. Modelling electric vehicle usage intentions: An empirical study in Malaysia. *J. Clean. Prod.* 2015, 92, 75–83. [CrossRef]
6. IEA. Global EV Outlook 2017, Two Million and Counting; International Energy Agency: Paris, France, 2017.
7. The State Council of China. The Energy Saving and New Energy Vehicle Industry Development Plan 2012–2020; The State Council of China: Beijing, China, 2012. Available online: http://www.gov.cn/zwggk/2012-07/09/content_2179032.htm (accessed on 4 June 2019).
8. Han, S.; Zhang, B.; Sun, X.; Han, S.; Höök, M. China's Energy Transition in the Power and Transport Sectors from a Substitution Perspective. *Energies* 2017, 10, 600. [CrossRef]
9. Eltayeb, T.K.; Zailani, S.; Jayaraman, K. The examination on the drivers for green purchasing adoption among EMS 14001 certified companies in Malaysia. *J. Manuf. Technol. Manag.* 2010, 21, 206–225. [CrossRef]

10. Chen, Q.Q.; Sun, F.C. Hybrid Vehicle Foundation; Beijing Institute of Technology Press: Beijing, China, 2001.
11. Ellingsen, L.; Singhand, B.; Stumman, A.H. The size and range effect: Lifecycle greenhouse gas emissions of electric vehicles. Environ. Res. Lett. 2016, 11. [CrossRef]
12. Chiang, W.J. A Study of Electric Vehicle Promotion Strategies: From Consumers' Perspectives; National Taipei University of Technology: Taipei, Taiwan, 2014.
13. IEA. Global EV Outlook 2018; International Energy Agency: Paris, France, 2018.
14. Zhao, W.H. The Impact and Response of the International Electric Vehicle Boom on Energy Development, APEC International Energy Cooperation Website. 2017. Available online: <https://apecenergy.tier.org.tw/report/article36.php> (accessed on 15 March 2019).
15. SLoCaT. E-Mobility Trends and Target; SLoCaT: Shanghai, China, 2018.