

Structural pattern and growth analysis of rice production in Odisha-A Temporal Analysis

Abstract

Even though rice has high importance for food security and agricultural GDP in the agrarian economy of Odisha, production is constrained by several factors. The trends, patterns, and instability of key production parameters such as area, yield need to be studied to suggest insightful measures for the development of rice cultivation in the state. The resource use efficiency also assumes significance to determine the profitability of rice production. The study used both secondary and primary data and analyzed trend, instability, and resource use efficiency using compound annual growth method (CAGR), Cuddy-Della Valle Instability Index, and Cobb-Douglas production function respectively. While the area under rice in Odisha marked a negative annual growth (-0.18), the yield and productions have shown significant positive growth of 1.95 and 1.76% respectively for the period of 1960-2019. In respect of instability in production and productivity, moderate variability was observed. However, for the area, the instability is very less. The production function analysis has shown excessive usage of significant resources like labor, fertilizers, and pesticides. The ratio of marginal value product and marginal factor cost for these inputs were much less than one, thus suggesting resource use optimization for profit maximization. [Conclusion and significance- of these study findings?](#)

Key words: agricultural GDP, CAGR, Cuddy-Della Valle Instability Index and Cobb-Douglas production function

1. Introduction

Rice is one of the most important cereal crops in the world. India has the largest area under rice placed next to China in respect of production [\(citation\)](#). Rice feeds more than half the world's population and therefore the demand for rice increases with the rising trend of a population. [Avoid a paragraph of three sentences](#)

Odisha is an agrarian state leading in rice production in the country and it used to supply a sizable amount of rice grain to the central pool of food stocks [\(citation\)](#). Rice covers about 69% of the cultivated area and is the major crop, covering about 63% of the total area under food grains. Rice in Odisha is now grown on an area of 4.4 million hectares, which accounts for 91% of the area under cereals and contributes about 94% of total cereal production in the state. It is the staple food of almost the entire population of Odisha; therefore, the state economy is directly linked with improvements in the production and productivity of rice in the state. Odisha has a contribution rate of 5.5% from the total rice production of India. In Odisha, rice is grown under diverse ecosystems and a wide range of climatic conditions. The system of cultivation is determined by the land situation, soil type, class of rice, season, intensity and distribution of rainfall, irrigation resources, and availability of labor. Odisha has three systems of rice cultivation: dry, semi-dry, and wet. The dry system accounts for 18% of the rice area and the rest is shared by semi-dry and wet systems. It is important to increase the production and productivity of rice by adopting improved technology as well as efficient

use of available resources. For this attempts must be taken up to improve technical efficiency in production.

However, rice production in the state is plagued with low productivity of 1.5-ton ha (MOSPI, 2015-16) against the national average yield of 2.4 tons per ha. Besides, rice in Odisha is constrained by several yield-limiting abiotic and biotic stresses. The efficiency of resources used in rice cultivation needs a relook for boosting rice production and productivity. Any actionable remedial measures to improve upon rice production, therefore, need critical analysis of the trend in area production and yield of rice in the state. Such scientific assessment will help rationalize structural improvement in rice cultivation. Against this backdrop, the present study aims at achieving the objectives of (a) assessing the trend and instability in the area, production, and yield of rice in Odisha vis-à-vis India and (b) measuring resource use efficiency in rice cultivation in Odisha. [This introduction is deficient of important citations](#)

2. Materials and methods

Data and its sources

This study undertaken in 2021 was for the whole state of Odisha and used secondary data obtained from different reliable sources like state agriculture statistics databook (2020), governmental website, and state economic survey (2021). The primary data required for fitting the production function were collected from 400 samples, randomly drawn from four districts (100 from each district). One district from each of those four physiographic zones was randomly chosen. Subsequently, 2 blocks from each of these four districts were randomly selected and finally, 50 farmers from each of these blocks were included to collect the required data.

2.1 Trend analysis

Compounded annual growth rate (CAGR) of key parameters—area and production and productivity was estimated for four distinct decades starting with 1960-70, 1970-80, 1990-00 and 1960-2019. The formula for CAGR estimation is an exponential growth function and given as

$$y_t = ab^t U_t$$

Where,

y_t = Variable under consideration at time period t

t = Time element which takes the value 1, 2, 3,.....n

a and b are parameters to be estimated where $b = (1+g)$, where g is the rate at which y grows every year with respect to its value in the preceding year

U_t = Disturbance term

After logarithmic transformation of equation (i) the linear form is

$$\log y_t = \log a + t \log b + \log U_t$$

This could be expressed as,

$$y_t = a + tb + U_t$$

Where,

$y_t = \log y_t$; $a = \log a$; $b = \log b$ and U_t

$= \log U_t$

The estimate of compound growth rate can be written as,

$$g = (\text{antilog } b - 1) 100$$

Significance of coefficients were tested by t-statistic and significance of the model was tested in terms of R^2 value

2.2 Instability measurement

For the measurement of instability these indicators, Cuddy-Della Valle Instability Index was constructed and interpreted. This index is an enhancement over widely use coefficient of variation method to measure instability in a time series data. The Cuddy-Della Valle instability index (1978) de-trends and shows the exact direction of instability.

$$CDVI = CV * (1 - \text{Adjusted } R^2) 0.5$$

Adjusted R^2 is determined from the time series regression. It is the coefficient of multiple determinations adjusted for degrees of freedom.

Categorization of index values

For a structured interpretation of the index outcome, following four categories that is normally followed in agricultural research was followed to rank the instability index values.

0-15 = Low Instability

>15-30 = Medium Instability

>30 = High Instability

2.3 Resource use efficiency

Production function fitting

Cobb-Douglas production functions were selected based on number of theoretically significant variables it is circumscribing, the coefficient of multiple determination R^2 and Mallow's C_p criteria. The models with maximum theoretically relevant variable, high R^2 and low C_p were selected for each crop. The general form of Cobb-Douglas equation is given by,

$$Y = \beta_0 \times \prod_{i=1}^n X_i^{\beta_i} \times e^u$$

Where,

Y = output/quintal

X_i = vector of inputs

β_i = Estimated coefficient of i th input

β_0 = Intercept

u = Error term

The allocative efficiency of significant inputs was measured through MVP approach. Firstly, a Cobb-Douglas production function was fitted and coefficient of the regressors (representing elasticity of the production) were estimated. Then the resource use efficiency or the allocative efficiency was calculated using

$$AE = MVP_{X_i} / MFC_{X_i}$$

$$MVP_{xi} = \beta_i \left(\frac{\bar{Y}}{\bar{X}_i} \right)$$

Where,

\bar{X} = Geometric mean of i^{th} Input

\bar{Y} = Geometric mean of output

i = Estimated coefficient of i^{th} input

MVP = Marginal Value Product

MFC = Marginal Factor cost (Price per unit of input)

3. Results and Discussion

3.1 Trends in area, yield and production of rice in Odisha vis-à-vis India

At the national level, the compound annual growth rate (CAGR) of rice area during the period 1960-70, 1970-80, 1990-00 and 1960-2019 were highly significant at 1 percent level (Table 1) of probability whereas in Odisha the estimated area growth rate was the negative and significant indicating reduction in area under rice over the years. The yield trend of the rice however has shown a positive and significant growth rate (1.95%) between 1960 and 2019 for Odisha and it was being 1.9% and statistically significant at all India suggesting a similar growth trend in terms of yield both at state and national level. The highest growth (4.99) in the state yield however was recorded in the decade of 2000-10 when it was just 1.64% at the national level. Even though average national rice productivity has always been higher than that of Odisha, the state growth rate has been estimated to be higher than India, barring a few occasions such as the decades of 1970-80 and 1990-00 when a negative growth in Odisha was noticed. Both the cases can be attributed to the recurring droughts in Odisha. Interestingly unlike in Odisha, there was no negative growth rate in yield observed in India.

Production-wise, the annual growth rate was more in India (2.3%) than in Odisha (1.76). The negative growth rate was further corroborated by the negative yield rate in the same decades (1970-80 and 1990-00). The high and significant production and yield growth rate in Odisha during 2000-10 despite a reduction in area, suggests a high production favorably induced by a good monsoon. Noticeably, between 1960 and 2019, India registered an area growth rate of 40% but a shrink in the rice area is reported in Odisha (1.8% CAGR). The almost equal CAGR of yield in both India and Odisha and the state's lesser growth rate in production in comparison to India can be partially explained by rice area contraction in Odisha.

Since crop diversification is a strategic priority of both state and central government because of socio-economic and climatic challenges, it is anticipated that the rice area will not rise substantially in the coming years. It is therefore imperative that policy actions should direct towards boosting productivity to log a positive production growth rate to feed the increasing population. This priority becomes more relevant as yield wise India compares very poorly with other major rice-producing. State production expansion driven by yield enhancement and subsequent market and export supports will be policy imperative in the coming years.

The continual positive growth in rice production since 2000 in both Odisha and India tends

Formatted: Normal, Indent: Left: 1.27 cm, No bullets or numbering

Formatted: Normal, No bullets or numbering

Formatted: Font: (Default) Times New Roman, 12 pt, Bold

to create market glut and price stagnation but at the same time offers opportunities in terms of export expansion. An increased production binds government to procure more paddy at minimum support price (MSP) however, appropriate policy supports can enhance rice (non-Basmati) export for the benefit of the state and its farmers.

Table 1: Trends in area, yield and production of paddy in India and Odisha

Decade	India			Decade	Odisha		
	Area	Yield	Production		Area	Yield	Production
1960-70	0.76 ***	1.14 NS	1.91 NS	1960-70	-	-	-
1970-80	0.91 ***	1.64 NS	2.56 *	1970-80	-0.86 **	-0.26 NS	-1.13 NS
1980-90	0.6 NS	3.59 ***	4.21 ***	1980-90	0.4 NS	3.56 NS	3.98 NS
1990-00	0.78 ***	1.08 **	1.87 ***	1990-00	0.16 NS	-1.45 NS	-1.29 NS
2000-10	0.11 NS	1.64 **	1.75 *	2000-10	-0.03 NS	4.99 *	4.96 *
2010-19	0.06 NS	1.5 ***	1.56 ***	2010-19	-0.88 **	2.9 NS	1.99 NS
1960-2019	0.4**	1.9***	2.3***	1970-2010	-0.18 ***	1.95 ***	1.76 ***

Note: “***”, “**” and “*” represents significance level at 1%, 5% and 10% level of Probability

3.2 Area, Yield and Production instability

The findings of the Cuddy-Della-Valle instability index for different parameters have been presented in Table 2. For measurement of instability coefficient of variation (CV) sometimes overestimates the value but Cuddy-Della-Valle method of calculation of instability indicated the exact direction of instability. The three categories of instability of different levels are used to order the variability of study parameters. The index value with (0-15) indicates a low instability while the medium instability value ranges from 15 to 30 and more than 30 index measurement tells a high degree of instability. The findings of the study pointed out that in the case of the area it is in the range of low instability both at the state and national level. It signifies that even there is a positive area growth as reported above, not much inter-decade variation was found and it is in sync with the general pattern elsewhere as it is difficult to substantially increase the area under rice because an assured irrigation facility is a precondition. Even though, a stable yield is found at the national level, the same in Odisha was relatively unstable since the index ranges from 11.56 to 18.42 (Table 2). A medium degree of instability was observed for production in Odisha and it is an obvious outcome resulting from a similar level of yield instability.

Noticeably, when comparing India and Odisha together, yield and production in India did not show much variation against Odisha. The high decadal variation in area and production in Odisha as noted above corroborate with the reported instability in yield. This essentially suggests diving deeper and finding out the drivers of growth instability (yield and production) in Odisha to take suitable course correction measures. The state-level instability in yield and production assumes high significance as it is directly linked with the product

price realization by farmers. The frequent occurrence of abiotic stresses like drought, flood in Odisha is often cited as major drivers for variability in yield and production. Thus any measures implemented for a stable production augmentation should reckon these determinants. The recent research innovation offers several rice varieties that are considered resilient to two major climatic events (drought and flood) in Odisha. Dissemination and increased uptake of such climate-resilient varieties may help farmers mitigate the severity of submergence, water deficit and harvest a reasonable yield. Adoption of modern varieties that exhibit more resistance to yield-limiting major diseases and pests can also be impactful to achieve high production and productivity with a lesser instability.

Table 2: Cuddy-Della-Valle instability index for paddy production in India and Odisha

Decades	India			Decades	Odisha		
	Area	Yield	Production		Area	Yield	Production
1960-70	1.51	8.52	9.71	1960-70			
1970-80	1.76	8.24	9.77	1970-80	3.09	13.53	14.98
1980-90	2.87	4.82	7.33	1980-90	2.94	16.06	18.32
1990-00	1.05	2.71	3.2	1990-00	1.3	11.56	12.2
2000-10	3.19	4.81	7.15	2000-10	1.6	16.87	17.79
2010-19	1.11	2.37	2.38	2010-20	2.52	18.42	19.69

4. Allocative Resource Use Efficiency

4.1 Production function and statistical significance of inputs

The functional relationship between output and inputs was established through a fitting Cobb-Douglas type production function. The estimates of Cobb-Douglas type production function were presented in table 3. The production elasticity for the area was 0.038 which was highly significant at a 5 percent level of probability. It means a one percent increase in a land area the output will increase by 0.038 percent. The production elasticity associated with hired labor, fertilizer, insecticides, and pesticides were 0.023, 0.303, and 0.006 respectively. These were not only positive but also highly significant at a 1 percent level of probability. The negative value of production elasticity with highly significant indicated that there was excess use of these resources for production. The coefficient of multiple determination R^2 value 0.72 indicated that the paddy production was explained by the independent variable 72 percent, thus fitted production function is a fit model with high explanatory strength.

Table 3. Estimates of Cobb-Douglas type production function for paddy production in Odisha

Particulars	Estimate	Standard Error
Intercept	2.246***	0.137
Crop area in ha (x1)	0.038**	0.013
Family labour in man-hours (x2)	0.003	0.012
Hired labour (x3)	0.023***	0.003
Hired animal labour in hours (x4)	-0.006***	0.001
Owned Animal labour in hours (x5)	-0.003*	0.001
Seed in Kg. (x6)	0.001	0.016
Fertilizer in Kg. (x7)	0.303***	0.016
Manure in Qtl. (x8)	-0.001	0.002
Insecticides in rupees (x9)	0.006***	0.001
Machine in hours (x10)	0.034**	0.011
R ²	0.72	
Adjusted R ²	0.71	
Number of Observations	449	
F- Statistics	68.17***	

Note: “***”, “**” and “*” represents significance level at 1%, 5% and 10% level of probability

4.2 Resource use efficiency

A farm is said to be operating in an efficient resource use regime when the ratio of marginal value product to marginal factor cost is one or more. If the ratio is less than one, then the resource is excessively used or over-utilized hence decreasing the quantity use of that resource increases profits. If the ratio is greater than one, then the resource is underused or is being underutilized hence increasing its rate of use will increase profit level. These decision rules are followed to ensure resources are used optimally and it makes the production function efficient for profit maximization.

The input use efficiency for various inputs was presented in Table 4. It was observed that the

value of resource use efficiency or allocative efficiency in all the inputs was less than one indicating excessive use or overutilization of resources. In some cases, high usage of inputs such as labor, manure, is less than one thus suggesting a negative relation with output and increasing losses associated with the injudicious application of these inputs. Among all inputs, fertilizer proved to be most efficient even though the MVP and MFC ratio is less than one that strongly recommends cutting down the quantity.

Less remunerative rice production in Odisha is an agricultural concern for decades. Several measures including farm mechanization, irrigation facilities, price support, seed availability, etc have been emphasized in recent times to make rice production reasonably profitable for farmers. However, the study revealed, the profitability of rice cultivation can be enhanced through judicious resource application. The current excess usage of inputs can be rationalized to make the production cost-efficient, thus more profitable.

Table 4. Input use efficiency for various inputs used in paddy production in Odisha

Resource	Ratio of MVP and MFC
Family Labour	0.0002
Casual Labour	0.0000
Hired Animal Labour	- 0.0004
Owned Animal Labour	- 0.0082
Seed	0.0005
Fertilizer	0.2625
Manure	- 0.0028
Insecticide	0.0005
Machine	0.0010

[Discussions should be based on related studies and their findings](#)

[5. Recommendations and Conclusions](#)

[6. Conclusions](#)

[7. Recommendations](#)

[5.8. Declaration of conflict of interest](#)

Rice will remain a key agriculture growth driver in Odisha. Nevertheless, increasing rice production needs to be considered in the context of huge water requirements and thus the resultant climate effect and need to augment non-paddy crops to meet domestic needs (e.g pulses and oilseeds). The increasing trend of production expansion and yield increase over the last six decades shows the rice research outcomes and technology adoption in Odisha. The decadal higher productivity in Odisha as against the national estimates signifies a better growth in rice apparently driven by the adoption of technologies like modern variety adoption and improved management practices. Policy measures need to be effected to maintain and amplify this growth rate. Findings of the Cuddy-Della Valle instability index pointed out that in India the instability (yield and production) is low whereas in Odisha during 2000-10 and 2010-20 there was a medium range of instability in paddy production and therefore it calls for strategic and well-targeted measures that can mitigate the instability causing potential risks.

The estimates of Cobb-Douglas production function found out that production elasticities associated with the area, hired labor, fertilizer, insecticide, and machinery were highly significant and also positive, thus any policy measures directing towards rice production improvement, need sufficient consideration of these useful resources. The resource use efficiency quotient for all resources was estimated to be less than one, thereby suggesting overuse of these resources like labor, fertilizer, pesticides to maximize the profit from rice cultivation. Farmers' knowledge enhancement, agronomic literacy, and capacity building on improved and sustainable crop management practices can attain desired efficient resource employment at the farm level.

References

- Afrin S, Haider MZ and Islam MS. (2017). Impact of financial inclusion on technical efficiency of paddy farmers in Bangladesh, *Agricultural Finance Review*.
- Aggarwal PK, Hebbar KB, Venugopalan MV, Rani S, Bala A, Biswal A and Wani SP. 2008. Quantification of yield gaps in rain-fed rice, wheat, cotton and mustard in India, International Crops Research Institute for the Semi-Arid Tropics, page 36.
- Bagchi B and Hussain M. 2001. "Comparative advantage in rice production in India", International Rice Research Institute, international works on medium and long term prospects of supply and demand in 21 century Los Banos, Philippines.
- Deka N. 2000. "Determinants of instability and efficiency in rice production under rainfed agriculture in Assam", Assam Agricultural University Jourhart, Assam.
- Ekanayake HKJ. 2009. The impact of fertilizer subsidy on paddy cultivation in Sri Lanka, Staff studies, 36(1).
- Goyal SK, Suhag KS and Pandey UK. 2006. An estimation of technical efficiency of paddy farmers in Haryana State of India, *Indian Journal of Agricultural Economics*, 61(902-2016-66786).
- Haque T. 2006. Resource use efficiency in Indian agriculture, *Indian Journal of Agricultural Economics*, 61(902-2016-66798).
- Hussain M and Laborte A. 1994. "Differential growth in rice production in Eastern India", *JASS*, 2(3): 33-37.
- Jain N. 1996. "A Comparative Study on income and farming investment pattern in rainfed and irrigated farming situation of Rajpur District of Madhya Pradesh", DANREIGAU

Rajpur.

- Jha D and Kumar P. 1999. "Rice production and impact of rice research in India", Proceeding of International Conference on the Impact of Rice Research, Bangkok.
- Kaur T and Rangil PS. 1997. "Rice Production Pattern in India, An Inter- State Analysis", *Agricultural Marketing*, **40**(1): 30-35.
- Kumar A, Singh RKP, Singh KM and Mishra JS. 2018. Economics of paddy (*Oryza sativa*) production: A comparative study of Bihar and Punjab, *Indian Journal of Agricultural Sciences*, **88**(2): 314-319.
- Mythili G and Shanmugam KR. 2000. Technical efficiency of rice growers in Tamil Nadu: a study based on panel data, *Ind J Agric Eco.*, **55**(1): 13.
- Naik D, Pandey S, Behura D and Villano RA. 2000. "Rice Production in Orissa, Eastern India", Risk analysis and management in rainfed rice system, Proceeding of IRRI, Philippines.
- Narayanamoorthy A, Suresh R and Alli P. 2017. Dynamics of input use efficiency in selected crops cultivation in India: A temporal and spatial analysis, *Indian Journal of Agricultural Economics*, **72**(3): 215-229.
- Narayanamoorthy A. 2013. Profitability in crops cultivation in India: Some evidence from cost of cultivation survey data, *Indian Journal of Agricultural Economics*, **68**(902-2016-66824): 104-121.
- Ngango J and Kim SG. 2019. Assessment of technical efficiency and its potential determinants among small-scale coffee farmers in Rwanda, *Agriculture*, **9**(7): 161.
- Pandey S, Behura DD, Villano RA and Naik D. 2000. "Economic cost of drought and farmers coping mechanisms: A study of rainfed rice system in Eastern India", Makuti City, Philippines International Rice Research Institute IRRI, Discussion Paper Series ND- 39.
- Paul BK. 2019. The Profitability of Paddy Cultivation and Farmers' Perception in West Bengal with Special Reference to Purba Bardhaman District, *Space and Culture, India*, **7**(3): 172-183.
- Sharma RS, Verma DK, Kumar Y, Kumar S and Srivastava RK. 2019. Comparative economic study of tulsii and paddy cultivation in Sitapur district of Uttar Pradesh, *Seed*, **874**(4.54): 570.
- Siddiquee AH, Sammy HM and Hasan MR. 2018. Profitability of Paddy Production in Bogura and Gaibandha Districts of Bangladesh.
- Singh BK and Pandey RK. 1995. "Yield gaps and constraints in adoption of new technology by tribal farmer, *Journal of Research, Birsa Agricultural University*, **7**(1): 65-68.
- Singh D, Patel AK, Singh SK and Baghel MS. 2016. "Increasing the Productivity and Profitability of Paddy through Front Line Demonstrations in Irrigated Agro Ecosystem of Kaymore Plateau and Satpura Hills", *Journal of AgriSearch*, **3**(3): 161-164.
- Singh HN, Pandey S and Villano RA. 1999. "Rainfed rice, risk and technology adoption, macroeconomic evidence from Eastern India", Paper presented at the International Conference on Characterization and Understanding Rainfed Lowland Rice environment held at Bali Indonesia.

- Singh IP and Grewal SS. 1994. "Economic Efficiency on Paddy Production in Punjab", *The Bihar Journal of Agricultural Marketing*, 2(1): 56-63.
- Singhal H. 1996. "Determinant of crop diversification in irrigated and rainfed areas of Chhatisgarh region", Department of Agriculture and Natural Resource Economics IGAU, Raipur, 1995-96.
- Thakur J. 2001. "Risk and its management in the rainfed rice ecosystem of Bihar", Proceeding of NCOP/IRRI work shop on risk analysis and management in rainfed rice system, Pandey S., Barah, B. C., Villano, R. A. And Pal S. Los Banos, Phillipines, 9-21-1998
- Venkateshwaralu B. 1994. "Complexities of Rice production in Eastern India", Paper presented at a workshop on "Strategies for Increasing Rice Production at Bhubaneswar during February. Organized by MANAGE, Hyderabad, O.U.A.T., constraints to yield of rice in Mayurbhanj District. Department of Agriculture Economics, O.U.A.T., Bhubaneswar, Orissa.

UNDER PEER REVIEW