

Case study

Vascular consideration with COVID-19 Vaccination: Clinical Case Report

Abstract :

Adverse cardiovascular side effects of the COVID -19 vaccine include myocarditis/pericarditis, vaccine induced thrombotic thrombocytopenia (VITT) and thromboses, which often related to low platelet levels and VITT in the setting. A 60-year-old female presented to our Emergency Department (ED) after cardiopulmonary resuscitation due to Asystole at home. The patient underwent a chest computed tomography (CT) scan that revealed bilateral pleural effusion without pulmonary embolism. The cardiovascular complications have been reported with both COVID-19 and its vaccination. The COVID-19 vaccines have adverse side effects, which are rare but also sometimes fulminant too.

Keywords: cardiovascular side effects, COVID -19 vaccine, chest computed tomography, acute respiratory syndrome

Introduction:

Coronavirus disease 2019 (COVID-19), the illness caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) continue to cause significant morbidity and mortality over the World^(1,2).

Globally; numerous vaccines have been developed against COVID-19. In Europe and United states, four vaccines have been approved by the FDA^(3,4,5).

The Majority of people become Moderna and Pfizer-BioNTech, Although certainly side effect may occur, the benefit greatly outweigh the risks⁽⁶⁾.

Adverse cardiovascular side effects of the COVID -19 vaccine include myocarditis/pericarditis, vaccine induced thrombotic thrombocytopenia (VITT) and thromboses, which often related to low platelet levels and VITT in the setting^(7,8).

Case report (history/examination):

A 60-year-old female presented to our Emergency Department (ED) after cardiopulmonary resuscitation due to Asystole at home. She had been having progressive shortness of breath over 2-3 Months that worsened acutely on the admission day with no significant past medical history. She got the Covid vaccination 3 times.

On arrival to ED Patient was intubated. She was afebrile. An electrocardiogram was performed, which showed sinus rhythm with a left axis, normal intervals and negative T wave over II,III,aVF and V1-4.

An arterial blood gas showed the following results: pH 6.7 (normal 7.35-7.45), pCO₂ 84 (normal 37-43 mmHg), bicarbonate 6.5 (normal 22-26 mmol/L), lactate 14 (normal 0.5-2.5 mmol/L), sodium 137 (normal 134-144 mmol/L), potassium 3.8 (normal: 3.5-5.5 mmol/L), and anion gap 21.9 mmol/L. There was an absence of ketones in the urinary dipstick, but positive for protein and glucose. Laboratory evaluation revealed markedly elevated creatinine level at 2.2 (normal: 0.7-1.1 mg/dl) and hs-TNI at 2480 ng/l (normal: 2.3-11.6 ng/l).

Taku Tsubo Cardiomyopathie was ruled out with Cardrio-MRT and Ventricelography.

The patient underwent a chest computed tomography (CT) scan that revealed bilateral pleural effusion without pulmonary embolism. Coronary angiogramm was without a significant epicardial coronary artery disease. For further evaluation we measured the microcirculatory resistance (IMR=52) and coronary flow reserve (CFR =1.3) which were pathologic .

She was immediately started with CVVHDF and after that with the dialysis 3 times weekly for six weeks, which could be stopped , because the GFR was 61 ml/min/m² , urin output > 100 ml /hour and creatnin 1.3 mg/dl .

Because of the unclear cause of her accelerated decrease in kidney function with need for the continuous dialysis a kidney biopsy was performed that showed microthrombi and lymphatic infiltrates as an expression of vaccination damage.

Brain CT performed on the first day of admission showed a subacute medullary lesion on the left periventricular side. The Brain MR showed multiple small subacute ischaemias, mainly in the centrum semiovalenbds

Discussion:

The cardiovascular complications have been reported with both COVID-19 and its vaccination. Vaccination has a significant effort on the pervention of severe SARS-CoV-19 infect and ist complications⁽⁹⁾ .

The extra cause of the vaccine complications is not exactly understood, but they are likely due to inflammatoryimmune system response to compnents of the vaccine that attack cells and tissue in the body⁽¹⁰⁾ .

Blood clots can form in veins and arteries. Typical locations are in legs and hands, less common are in the abdominal organs or brain⁽¹¹⁾ .

The complications are really rare, as example the incidence of the VITT is observed in 1/100.000 vaccineexposures⁽¹²⁾ .

Conclusions:

The COVID-19 continue to cause significant morbidity and mortality over the world. The COVID-19 vaccines have adverse side effects, whic are rare but also sometimes fluminant too.

References:

- (1) COVID-19 - A vascular disease
Hasan K Siddiqi , Peter Libby , Paul M Ridker .
- (2) Vascular Disease Patient Information Page: Vascular considerations with COVID-19 vaccines
Alexandra L Solomon , Elizabeth V Ratchford , Keith B Armitage , Jason C Kovacic.
- (3) Using a Systems Approach to Explore the Mechanisms of Interaction Between Severe Covid-19 and Its Coronary Heart Disease Complications.
Meyer AA, Mathews EH, Gous AGS, Mathews MJ.
- (4) Post-acute COVID-19 syndrome.
Nalbandian A, Sehgal K, Gupta A, Madhavan MV, McGroder C, Stevens JS, Cook JR, Nordvig AS, Shalev D, Sehrawat TS, Ahluwalia N, Bikdeli B, Dietz D, Der-Nigoghossian C, Liyanage-Don N, Rosner GF, Bernstein EJ, Mohan S, Beckley AA, Seres DS, Choueiri TK, Uriel N, Ausiello JC, Accili D, Freedberg DE, Baldwin M, Schwartz A, Brodie D, Garcia CK, Elkind MSV, Connors JM, Bilezikian JP, Landry DW, Wan EY.
- (5) Post-COVID-19 syndrome: epidemiology, diagnostic criteria and pathogenic mechanisms involved. Carod-Artal FJ.
- (6) Case report and systematic review suggest that children may experience similar long-term effects to adults after clinical COVID-19.
Ludvigsson JF.
- (7) Cardiovascular complications of COVID-19.
Farshidfar F, Koleini N, Ardehali H.
- (8) Cardiac Involvement of COVID-19: A Comprehensive Review.
Chang WT, Toh HS, Liao CT, Yu WL.
- (9) Cardiovascular disease in patients with COVID-19: evidence from cardiovascular pathology to treatment.
Luo J, Zhu X, Jian J, Chen X, Yin K.
- (10) Impact of COVID-19 on the Cardiovascular System: A Review of Available Reports.
Soumya RS, Unni TG, Raghu KG.
- (11) An Assessment on Impact of COVID-19 Infection in a Gender Specific Manner.
Agrawal H, Das N, Nathani S, Saha S, Saini S, Kakar SS, Roy P.
- (12) Effects of SARS-CoV-2 on Cardiovascular System: The Dual Role of Angiotensin-Converting Enzyme 2 (ACE2) as the Virus Receptor and Homeostasis Regulator-Review.
Aleksova A, Gagno G, Sinagra G, Beltrami AP, Janjusevic M, Ippolito G, Zumla A, Fluca AL, Ferro F.


Images:

Riedl, Elke ID:10414121 10-Feb-2022 19:16:23 Klinikum Ingolstadt-ST58 ROUTINE AUFZEICHNEN

20-Nov-1961 (60 J.)	Vent. freq.	110	S/M
Weiblich Unbekannt	PQ-Zeit	*	ms
Zimmer:5812	QRS-Dauer	80	ms
Abt.3	QT/QTcB	294/397	ms
	PRT-Achse	* 12	108

Unt.-Assistenz:
Indikation:


Med:



50mm/s 10mm/mV 40Hz 10.1.2 12SL 241 Gerät: 9

SID: 51463371 EID: EDT: AUFTR: AUFNAHME: 51463371
Seite 1 von 2

Riedl, Elke ID: 10414121 10-Feb-2022 19:16:23



Fortsetzung: 50mm/s

Seite 2 von 2

Riedl, Elke

ID:10414121

10-Feb-2022 19:16:23

Klinikum Ingolstadt-ST58 ROUTINE AUFZEICHNEN


20-Nov-1961 (60 J.)
Weiblich Unbekannt

Vent. freq.	110	S/M
PQ-Zeit	*	ms
QRS-Dauer	80	ms
QT/QTcB	294/397	ms
PRT-Achse	* 12	108

Zimmer:5812
Abt:3

Unt.-Assistenz:
Indikation:

Med:



Seite 1 von 1

Riedl, Elke

ID:10414121

27-Jan-2022 11:27:09

Klinikum Ingolstadt-ST58 ROUTINE AUFZEICHNEN


20-Nov-1961 (60 J.)
Weiblich Unbekannt

Vent. freq.	125	S/M
PQ-Zeit	*	ms
QRS-Dauer	80	ms
QT/QTcB	274/395	ms
PRT-Achse	* 20	269


Zimmer:9308
Abt:3

Unt.-Assistenz:
Indikation:

Med:



Seite 1 von 2



Fortsetzung: 50mm/s

Seite 2 von 2



Riedl, Elke

ID:10414121

27-Jan-2022 11:27:09

Klinikum Ingolstadt-ST58 ROUTINE AUFZEICHNEN

20-Nov-1961 (60 J.)
Weiblich Unbekannt

Vent. freq.	125	S/M
PQ-Zeit	80	ms
QRS-Dauer	80	ms
QT/QTcB	274/395	ms
PRT-Achse	+ 20	269

Zimmer:9308
Abt:3

Unt.-Assistenz:
Indikation:

Med:



25mm/s 10mm/mV 40Hz 10.1.2 12SL 241 Gerät: 12

SID: 51463371 EID: EDT: AUFTR: AUFNAHME: 51463371

Seite 1 von 1

Riedl, Elke
10414121

Fall: 51463371
20.11.1961
60 Jahre

weibl.


27.01.2022 11:27:09
51347173

Abteilungsnr. : 3

125/min
-- / -- mmHg

QRS : 80 ms
QT / QTcBaz : 274 / 395 ms
PQ : -- ms
P : -- ms
RR / PP : 480 / 594 ms
P / QRS / T : -- / 20 / 269 Grad

Vorhofflimmern [chaotische Vorhofaktivität und stark schwankendes RR-Intervall]
nichtspezifische ST- und T-Wellenabnormalität [ST- und T-Abweichung nicht in
Übereinstimmung mit den Infarktkriterien]
abnormales EKG



GE MAC2000

1.1

12SL™ v241

25 mm

V ADS

0.56-20 Hz

50 Hz

Unbestätigt
4x2.5x3_25

1/1