Review Form 1.6

Journal Name:	Asian Journal of Research in Surgery
Manuscript Number:	Ms_AJRS_87635
Title of the Manuscript:	A prospective comparative Clinical Trial of Onlay Versus Sublay Mesh Repair for Treatment of Ventral Hernia
Type of the Article	Study Protocol

General guideline for Peer Review process:

This journal's peer review policy states that **NO** manuscript should be rejected only on the basis of 'lack of Novelty', provided the manuscript is scientifically robust and technically sound. To know the complete guideline for Peer Review process, reviewers are requested to visit this link:

 $(\underline{\text{https://www.journalajrs.com/index.php/AJRS/editorial-policy}})$

PART 1: Review Comments

	Reviewer's comment	Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write
		his/her feedback here)
Compulsory REVISION comments		
Minor REVISION comments		
Optional/General comments	I think that this study protocol will be very successful, especially because of follow up period of 3 months. If you can add one more complication, among these "Complications (Seroma, Hematoma, Wound Infection, Recurrence)" – incarceration, as potential serious complication, but it is not necessary.	

PART 2:

		Author's comment (if agreed with reviewer, correct the manuscript and highlight that part in the manuscript. It is mandatory that authors should write his/her feedback here)
Are there ethical issues in this manuscript?	(If yes, Kindly please write down the ethical issues here in details)	

Reviewer Details:

Name:	Josko Petricevic
Department, University & Country	University of Mostar Medical School, Bosnia and Herzegovina

Created by: EA Checked by: ME Approved by: CEO Version: 1.6 (10-04-2018)