

Spingomonas Paucimobilis Septic Arthritis Post COVID- Case report

Abstract:

In the current pandemic of covid 19 , and its treatment has changed the entire presentation of other diseases.. In this pandemic on covid 19 the treatment of covid has deranged the immune status of many and has facilitated emergence of rare bacterial infection. Spingomonas Paucimobilis is a rare cause of infection in clinical setting but covid or its treatment has cause emergence of relatively rare infections.

A 59 year old lady came to outpatient department with complaints of pain right hip since 1 month and limping. On evaluation she was found to have intra osseous abscess with septic arthritis of hip caused by Sphingomonas Paucimobilis , with timely intervention an appropriate antibiotic therapy full recovery was possible

In this era of covid 19 pandemic every symptom should be considered significant and evaluated and appropriate diagnosis and timely intervention is crucial to prevent catastrophic complications

Key words; covid 19; Septic arthritis; spingomonas Paucimobilis;Osteomyelitis;infection

Introduction:

Sphingomonas paucimobilis is an emerging opportunistic bacterium with a particular affinity toward Musculoskeletal system. It is a gram-negative rod that can infect both immunosuppressed and immunocompetent individuals. Outcome of infected patients is generally good, but rarely morbidity and mortality cases have both been reported. In this pandemic on covid 19 the treatment of covid has deranged the immune status of many and has facilitated emergence of rare bacterial infection. Among S. paucimobilis nosocomial infections, osteomyelitis is particularly rare[1].We report a case of Sphingomonas Paucomobilis septic arthritis in a post covid individual

Case report:

A 59 year old lady came to outpatient department with complaints of pain right hip for 1 month and limping. She was apparently normal one month back when she had experiencing the pain . No history of fever/constitutional symptoms.No history of trauma. She had Covid infection 3 months back (category 3) which was managed with supportive care including steroids.(Methyl prednisolone infusion of 80 mg/day in 240 mL normal saline at 10 mL/h for 8 days followed by oral 20 mg IV twice daily until CRP returns to < 20% of normal range and/or PaO₂:FiO₂ > 400 or SatHbO₂ ≥ 95%.(For 3 weeks))

Her medical history revealed she had Type 2 diabetes mellitus which was well controlled.

On clinical evaluation she had a antalgic gait with normal passive range of movement which was terminally restricted due to pain and spasm. Systemic examination was normal Blood panel showed white blood cell count of 7.9K/ul CRP – 32 ESR 44

Her radiographs were within normal limits but MRI showed bone marrow oedema in right femoral head and neck with intra osseous abscess associated with joint effusion and mild synovial thickening(Figure 1),suggestive of osteomyelitis with septic arthritis of the right hip. She was manged surgically with emergency arthrotomy wash out and drainage of abscess , intra operatively cultures were taken and it showed growth of Sphingomonas Paucimobilis (figure 2) sensitive to fluro quinolones. She was started on ciprofloxacin for

three months and she improved clinically, blood markers showed decreasing acute phase reactants

Discussion :

Covid infection and its treatment with use of immunosuppressive drugs including steroids has caused emergence of rare pathogenic organism causing unusual presentation of osteomyelitis and septic arthritis. Although it is an organism of low clinical virulence, infection caused by *S. Paucimobilis* can lead to septic shock.[2]

Sphingomonas Paucimobilis is a glucose-nonfermenting Gram-negative bacillus that is found in both natural environment and hospitals. This organism has been isolated and cultured from nebulizers, intravenous solutions, ventilators and other hospital devices.[3] Earliest reports have associated *Sphingomonas paucimobilis* with nosocomial infections and/or immunosuppressed patients, but most recent ones showed that the prevalence of this organism in community-related infections and/or immunocompetent hosts has been underestimated [4] Its susceptibility to other antimicrobial agents including third-generation cephalosporins and fluoroquinolones is variable. In addition, the organism is usually resistant to penicillins and to first-generation cephalosporins. [5,6]

For COVID infections the treatment guidelines are still controversial, the administration of steroids has clinically shown improvement in many [7]. In our case although it is difficult to ascertain whether the covid infection or its treatment had direct influence on the infection with *spingomonas Paucimobilis*, the occurrence of unlikely infection poses a definitive question on the changes on the immune system made by the pandemic and its management.

Conclusion:

Covid infection and its treatment has opened the world to a new era of organisms. Although low virulent organism proper timely diagnosis and timely intervention and appropriate antibiotic can prevent deadly complications in such cases. There are no standardized and recommended for therapies of *S.paucimobilis* infections. Thus, antibiotic treatment rested on clinical experience. The duration of treatment is according to the clinical response of the patients.[8] Larger studies are required to establish the relationship between covid infection or its treatment and emergence of such infections and guideline for its prevention.

Informed consent and Consent for publication, was obtained as per institutional protocol

Ethical approval, obtained as per institutional protocol

Conflict of interest : none

Funding : nil

Reference:

1. Pascale R, Russo E, Esposito I, Leone S, Esposito S. *Sphingomonas paucimobilis* osteomyelitis in an immunocompetent patient. A rare case report and literature review. *New Microbial*. 2013 Oct;36(4):423-6.

2. Lin JN, Lai CH, Chen YH, Lin HL, Huang CK, Chen WF, Wang JL, Chung HC, Liang SH, Lin HH et al. *Sphingomonas paucimobilis* bacteremia in humans: 16 case reports and a literature review. *J Microbiol Immunol Infect*. 2010 Feb;43(1):35-42.
 3. Lemaitre D, Elaichouni A, Hundhausen M, Claeys G, Vanhaesebrouck P, Vaneechoutte M et al. Tracheal colonization with *Sphingomonas paucimobilis* in mechanically ventilated neonates due to contaminated ventilator temperature probes *J Hosp Infect*. 1996; 32: 199-206
 4. M. El Beaino M, et al. *Sphingomonas paucimobilis*-related bone and soft-tissue infections: A systematic review. *International Journal of Infectious Diseases* 2018;77: (2018) 68–7.
 5. Kawasaki S, Moriguchi R, Sekiya K, Nakai T, Ono E, Kume K, et al. The cell envelope structure of the lipopolysaccharide-lacking gram-negative bacterium *Sphingomonas paucimobilis*. *J Bacteriol* 1994;176:284-90.
 6. Reina J, Bassa A, Llompart I, Portela D, Borrell N. Infections with *Pseudomonas paucimobilis*: Report of four cases and review. *Rev Infect Dis* 1991;13:1072-6.
 7. Nicastrì E, Petrosillo N, Ascoli Bartoli T, Lepore L, Mondi A, Palmieri F, D'Offizi G, Marchioni L, Murachelli S, Ippolito G, Antinori A. National Institute for the Infectious Diseases "L. Spallanzani", IRCCS. Recommendations for COVID-19 clinical management. *Infect Dis Rep*. 2020 Mar 16;12(1):8543. doi: 10.4081/idr.2020.8543. eCollection 2020 Feb 25.
 8. Bayram N, Devrim I, Apa H, Gülfidan G, Türkyılmaz HN, Günay I. *Sphingomonas paucimobilis* infections in children: 24 case reports. *Mediterr J Hematol Infect Dis*. 2013;5(1):e2013040. Published 2013 Jun 5. doi:10.4084/MJHID.2013.040
- Figure legends:
- Figure 1 : MRI image showing intra osseous abscess and septic arthritis
- Figure 2 : Culture plate showing growth of organism