

A Review on Phytoconstituents and Therapeutic Properties of Ancient Plant: *Terminalia arjuna* (Roxb.)

ABSTRACT

Terminalia arjuna also known as arjun or arjuna, is a member of Combretaceae family. Medicinal or therapeutic plant plays a crucial role to cure various diseases and *Terminalia arjuna* is one such therapeutic plant. This comprehensive review helps in studying various aspects like phytochemical, pharmacological, ethnomedical, phytological and clinical significance. Alkaloids, flavonoids, triterpenoids, glycosides and mineral ions present in different parts of the plant are discussed. *Terminalia arjuna* is used mainly in cardiovascular treatment, shows antibacterial, antimicrobial and antifungal properties.

Keywords: Antimicrobial; Antifungal; Alkaloids; Cardiovascular; Medicinal plant

1. INTRODUCTION

Healing herbs of compatible worth can be found on mother earth. The solution to heal wounds holds in hands of nature. Healing plants play an important part in healthcare sector and are significant for both conventional and traditional medicine. Traditional medicinal practice has expanded around the world. It is generally created on the skills, knowledge, suppositions and practices of folks. Major texts like Charaka Samhita consist of studies on traditional medicinal plants(1). In the past years, there has been around 2.5% to 12% increase in usage of therapeutic medicine(2). *Terminalia arjuna* has major contribution in research areas like medication, energy and material due to which there is surge in demands of nanoparticles (3).

During ancient times many traditional plants were used as curative to avoid different fatal disease in different medicinal systems like Ayurveda, Unani and Siddha etc. In the current scenario, awareness about the use of traditional medicine has spread tremendously. Herbal medicines are inexpensive, efficacious, approachable and have very less side effects. Medicinal plants have certain organic compounds which perform physiological functions in human body. The compounds include carbohydrates, tannins, resins, terpenoids, flavonoids, alkaloids and phenols. There are numerous plants described in Indian customary healing system for different treatments of different diseases. One such therapeutic tree is *Terminalia arjuna* (Roxb.)(2).

Terminalia arjuna also known as "arjuna". It is distributed in major parts of Sri Lanka, Burma and India like Himachal Pradesh, Madhya Pradesh, Sub-Himalayan regions of Uttar Pradesh and Delhi etc(4). The plant belongs to family Combretaceae. It is a huge tree with buttressed trunk and smooth grey bark. The tree generally attains a height of 20-25 m with sub opposite pale dark green

leaves and yellowish white flowers. The fruits are ovaloid (2.5 -5.0 m) fibrous woody and smooth that is without hairs. The tree is found on the banks of rivers and streams. Various heart diseases like, heart failure, myocardium necrosis, coronary artery disease atherosclerosis and cardiomyopathy can be cured with the help of *Terminalia arjuna*(1,5). This can also be used in other problems like blood pressure, anaemia, viral infections, ulcers and hepatic diseases. The first person to support the use of bark powder of stem of arjuna in heart diseases was Vagabhatta. The tree has antimicrobial, antioxidant, antiallergic, antibacterial, antitumoral, antifeedant and antimicrobial properties. The aim of this review to summarise the medicinal properties of *Terminalia arjuna* and its phytoconstituents from the research data available(6,7).

Table 1: Classification of *Terminalia arjuna*

Kingdom	Plantae
Phylum	Angiosperms
Class	Dicotyledonae
Order	Myrtales
Family	Combretaceae
Genus	<i>Terminalia</i>
Species	<i>Arjuna</i>

2. METHODOLOGY

Systematic literature searches were carried out and the information available on plant *Terminalia arjuna* was collected via peer reviewed journals, library articles and electronic search like google scholar, science direct, PubMed and ResearchGate.

3. HABIT AND HABITAT

The tree of arjuna is around 60-80 ft in tall, generally found near the rivers and around watercourses in the Himalayan regions of India. It can be grown in all types of soil, but majorly grows in humid, fertile and loamy soil (4,8,9).This tree can also be propagated by seeds, germinates in 60-70 days with approx. 50-70 % of total germination. Leaves of the *Terminalia arjuna* are simple, mostly crenulations and borne sub-opposite. Drupe fruit is found, fruits are oval in shape with fibrous and woody nature. The bark of the stem is smooth and simple with pinkish grey colour (4).

4. PHYTOCONSTITUENTS

The bark of the tree, fruit, leaves and seeds have major phytoconstituents. The preliminary analysis of phytochemicals was carried according to standard protocols mentioned by Harbone. From the medicinal point of view bark is considered as the important constituent, the bark is

reported have 33% ash of calcium carbonate. Aqueous extract of bark of *Terminalia arjuna* is reported to have 16% tannins and 23% calcium salts. Using sequential methods along with organic solvents like ethyl acetate, chloroform, hexane, ethanol etc. to prepare organic extracts of bark of *T. arjuna* for the phytochemical extraction. The obtained chemical structures were later confirmed using advance techniques like UPLC, LC-ESI—MS/MS and HPLC. Major constituents of the *Terminalia arjuna* consist of triterpenoids, polyphenols, flavonoids, sterols, saponins, and glycosides. The aim of this review is to summarise the medicinal properties of *Terminalia arjuna* and its phytoconstituents from the research data available (6,7).

5. MEDICINAL IMPORTANCE

Bark of *Terminalia arjuna* is also known as “ancient cardiovascular drug” because of its medicinal properties. Various experimental and clinical studies show the evidences that proves that bark of *Terminalia arjuna* possess anti-oxidant, antiviral, antibacterial and anticancer properties (1,4,6,8,18,31).

5.1 Cardiovascular Importance

The bark of arjun has anti-ischemic effect which was trailed on many patients, as a result of which it was learnt that it is good for heart (2,4,8,28,32). Phytoconstituents like terpenoids and flavonoids are known to show this effect. It is used in treating cardiomyopathy, hypolipidemic condition, rhematic heart disease, myocardial infraction, and many other heart conditions. It is generally advised to heart patients to consume bark powder of arjun to have speedy recovery.

5.2 Analgesic Properties of Leaf

Leaf of arjuna also has pain relieving and antioxidant properties. Studies show that leaves exhibit analgesic i.e., pain reliving, antioxidant and anti-inflammatory properties (1,8,33).

5.3 Antimicrobial Effect

Bark extract of *Terminalia arjuna* is known to exhibit anti-microbial activity against many microorganisms like *Plasmodium aerogenes*, *Plasmodium vulgaris* and *Escherichia coli*. (5)

5.4 Platelet Aggregation

The extract from bark of stem also helps in decreasing platelets activation and possesses antithrombotic properties. Arjunolic acid is a phytoconstituent, which provides cardiovascular protection and is present in the bark of arjuna (1,5,6,8).

Table.2: Phytoconstituents Present in *Terminalia arjuna*.

Plant part	Phytoconstituent	Compounds found
------------	------------------	-----------------

Bark (stem)	Triterpenoids	Arjunolic acid (10,11) Terminic acid,(12) Arjunin, arjunic acid,(13) Terminoltin,(14)
Bark	Triterpenoids (Ursane)	2 α ,3 β ,23-trihydroxyurs-23-trihydroxyurs-12,19-dien-28-oic acid 28-O- β -D-glucopyranosyl ester.(15) 2 α ,3 β -dihydroxyurs-12,18-dien-28-oic acid-28-O- β -D-glucopyranosyl ester,(15)
Bark	Minerals, elements	Zinc (4,9) Magnesium (9) Copper (4,9,16) Silica (9,16) Aluminium (9,16) Calcium (4,9,16)
Bark	Phenolic compounds and flavonoids	Arjunolone(6,17,18) Luteolin(19) Gallic acid
Bark	Tannins	Pyrocatechols(20,21) Terflavin C Castalaigen(22) Casuarinin(22)
Bark	Glycosides	Arjunolone,(1,4,8) Arjunoltin, Arjunaphthanolside Arjunetin,(8,9,23–25) Terminarjunoside I and II (26) Terminoside A (1,16,27,28)

Roots	Triterpenoids	Arjunolic acid(8,12,25) Arjunic acid Oleanolic acid Terminic acid(9,12,29)
Roots	Glycosides	Arjunetosie (3-O-β-D-glucopyranosyl-2α, 3β, 19α-trihydroxyolean-12-en-28-oic acid(14,15,26,29) 28-O-β-D-glucopyranoside
Seeds, leaves	Flavonoids, glycosides	14,16-dianhydrogitoxygenin 3-β-D-xylopyranosyl-(1 → 2)-O-β-D-galactopyranoside (30)
Fruits	Flavonoids, triterpenoids	Luteolin (19) Arjunone, (1,4,6,7) Arachidic stearate, (7) Gallic acid(7) Hentriacontane(7) Arjunic acid, (7) Methyl oleolate,(7) Cerasidin, (7)

5.5 Anticancerous Properties

Anticancerous properties are shown by many species of *Terminalia arjuna*. Traditionally it is used for treating cancer from a very early period. Chemical constituents present in arjuna may acts as antimutagenic and anticancerous, they trap the electrophile of carcinogen by nucleophilic chemical reactions to form harmless products. Terpenoids and flavonoids phytoconstituents present in bark show anti-cancerous properties (1,4,6,8). *T. arjuna* is known to regulate anaerobic metabolism by preventing the activity of lactate dehydrogenase in lymphatic cancer bearing mice. Casuarinin, a constituent present in bark of *T. arjuna* is also known to inhibit the breast cancer. The presence of antioxidant properties in bark makes it more effective in anticancerous properties.

6. HARMFUL ASPECT

During clinical studies, 1g to 2g per day dosage of *Terminalia arjuna* has been used and found as optimum dosage for patients suffering from coronary artery disease. But in many patients, symptoms of different health issues were reported by after consuming this plant, such as

headache, body ache, constipation, gastritis and insomnia. Blood issues, metabolic activity and renal issues has not been testified even after 24 months of its intake and observations. Parmar et al reported decrease in thyroid concentration as well as increase in hepatic LPO with increase in dosage of arjuna (34). In contrast to this, recently outcomes from some latest studies of oral toxicologic labs show that the use of ethanolic extract of 2000mg/kg did not produce any kind of side effects in gut of animals (1,20,21). There is a need for well controlled clinical trials for exploring the therapeutic effects of *Terminalia arjuna*.

7. CONCLUSION

On basis of studies available and literary evidences, *Terminalia arjuna* is a very important medicinal plant which is majorly used in treatment of cardiovascular diseases like cardiomyopathy, heart attack, high blood pressure and chest pain etc (1,4,6,8). It is an antioxidant, antibacterial, anti-fungal and anti-ischemic in nature. The effectiveness of *Terminalia arjuna* as a potent antioxidant and anti-ischemic agent has been demonstrated under clinical and experimental studies. Still, author advices not to neglect the side effects of this plant. More clinical trials are suggested to overcome this problem. The eternal interest and researches have led to the development of chemical constituents and their pharmacological effects. However, continuous researches on *Terminalia arjuna* can also help in discovering its many other properties. Shakeel et al demonstrated the green synthesis of silver nanoparticles, which are important in the field of nanotechnology using *Terminalia arjuna* extract (3). In biological field, evaluation of silver nanoparticles was studied against gram positive (*S. aureus*) and gram negative (*E. coli*) bacteria for their further biomedical applications. This plant extracts can be majorly used in drug administration, drug interactions and toxicological studies (1,4–8,18). *T. arjuna* leaf extract has been used as stabilising and reducing agent in biosynthesis of AgNps and degradation of organic dyes using TEM, XRD UV-vis and SEM analysis (35). Recent research studies reveal the extraction of natural dyes from fruits of *Terminalia arjuna* and their uses in textile industry (36). Every part of plant *Terminalia arjuna* is of great significance in ethnopharmacological and pharmaceutical sector. Research and clinical trials should be carried to explore the full potential of the plant.

CONFLICT OF INTEREST

Author declares that there is no conflict of interest and ethical issues.

REFERENCES

1. Amalraj A, Gopi S. Medicinal properties of *Terminalia arjuna* (Roxb.) Wight & Arn.: A review. *Journal of Traditional and Complementary Medicine. National Taiwan University*; 2017;7: 65–78.
2. Stickel F, Schuppan D. Herbal medicine in the treatment of liver diseases. *Digestive and Liver Disease*. 2007; 39.

- 140 3. Saiqa Ikram SA. Silver Nanoparticles: One Pot Green Synthesis Using Terminalia
141 arjuna Extract for Biological Application. Journal of Nanomedicine & Nanotechnology.
142 2015;06(04).
- 143 4. Jain S, Yadav PP, Gill V, Vasudeva N, Singla N. Terminalia arjuna a sacred medicinal
144 plant: Phytochemical and pharmacological profile. Phytochemistry Reviews. 2009;8(2).
- 145 5. Jain S, Yadav PP, Gill V, Vasudeva N, Singla N. Terminalia arjuna a sacred medicinal
146 plant: Phytochemical and pharmacological profile. Phytochemistry Reviews. 2009
147 Jun;8(2):491–502.
- 148 6. Cock IE. The medicinal properties and phytochemistry of plants of the genus
149 Terminalia (Combretaceae). *Inflammopharmacology*. 2015; 23.
- 150 7. Rastogi RP, Mehrotra BN. Compendium of Indian medicinal plants. New Delhi, CDRI
151 Lucknow and PID. 1990.
- 152 8. Dwivedi S, Chopra D. Revisiting terminalia arjuna-an ancient cardiovascular drug.
153 Journal of Traditional and Complementary Medicine. 2014;4(4):224–31.
- 154 9. Dwivedi S, Udupa N. Terminalia arjuna: Pharmacognosy, phytochemistry,
155 pharmacology and clinical use. A review. *Fitoterapia*. 1989; 60.
- 156 10. Singh D v., Verma RK, Gupta MM, Kumar S. Quantitative determination of oleanic
157 derivatives in Terminalia arjuna by high performance thin layer chromatography.
158 Phytochemical Analysis. 2002;13(4).
- 159 11. Singh D v., Verma RK, Singh SC, Gupta MM. RP-LC determination of oleanic
160 derivatives in Terminalia arjuna. Journal of Pharmaceutical and Biomedical Analysis.
161 2002;28(3–4).
- 162 12. Anjaneyulu ASR, Prasad AVR. Structure of terminic acid, a dihydroxytriterpene
163 carboxylic acid from Terminalia arjuna. Phytochemistry. 1983;22(4).
- 164 13. Dwivedi S, Chopra D. Revisiting terminalia arjuna-an ancient cardiovascular drug.
165 Journal of Traditional and Complementary *Medicine*. 2014;4(4):224–31.
- 166 14. Singh B, Singh VP, Pandey VB, Rucker G. A new triterpene glycoside from Terminalia
167 arjuna. Planta Medica. 1995;61(6).
- 168 15. Wang W, Ali Z, Shen Y, Li XC, Khan IA. Ursane triterpenoids from the bark of
169 Terminalia arjuna. *Fitoterapia*. 2010;81(6).
- 170 16. Gaikwad D, Jadhav N. A review on biogenic properties of stem bark of Terminalia
171 Arjuna: An update. Asian Journal of Pharmaceutical and Clinical Research. 2018;11.
- 172 17. Kalola J, Rajani M. Extraction and TLC densitometric determination of triterpenoid acids
173 (arjungenin, arjunolic acid) from Terminalia arjuna stem bark without interference of
174 Tannins. Chromatographia. 2006;63(9–10).
- 175 18. Wijesekera ROB. The medicinal plant industry. The Medicinal Plant Industry. 2017.
- 176 19. Pettit GR, Hoard MS, Doubek DL, Schmidt JM, Pettit RK, Tackett LP, et al.
177 Antineoplastic agents 338. The cancer cell growth inhibitory. Constituents of Terminalia
178 arjuna (Combretaceae). Journal of Ethnopharmacology. 1996;53(2).
- 179 20. Patil RH, Prakash K, Maheshwari VL. Hypolipidemic effect of Terminalia arjuna (L.) In
180 experimentally induced hypercholesteremic rats. Acta Biologica Szegediensis.
181 2011;55(2).

21. Takahashi S, Tanaka H, Hano Y, Ito K, Nomura T, Shigenobu K. Hypotensive effect in rats of hydrophilic extract from *Terminalia arjuna* containing tannin-related compounds. *Phytotherapy Research*. 1997;11(6).
22. Kuo PL, Hsu YL, Lin TC, Lin LT, Chang JK, Lin CC. Casuarinin from the bark of *Terminalia arjuna* induces apoptosis and cell cycle arrest in human breast adenocarcinoma MCF-7 cells. *Planta Medica*. 2005;71(3).
23. Dwivedi S. *Terminalia arjuna* Wight & Arn.-A useful drug for cardiovascular disorders. *Journal of Ethnopharmacology*. 2007;114 (4).
24. Chander R, Singh K, Khanna AK, Kaul SM, Puri A, Saxena R, et al. Antidyslipidemic and antioxidant activities fractions of *terminalia arjuna* stem bark of different. *Indian Journal of Clinical Biochemistry*. 2004; 19 (1).
25. Honda T, Murae T, Tsuyuki T, Takahashi T, Sawai M. Arjungenin, Arjunglucoside I, and Arjunglucoside II. A New Triterpene and New Triterpene Glucosides from *Terminalia arjuna*. *Bulletin of the Chemical Society of Japan*. 1976;49(11).
26. Alam MS, Kaur G, Ali A, Hamid H, Ali M, Athar M. Two new bioactive oleanane triterpene glycosides from *Terminalia arjuna*. *Natural Product Research*. 2008;22(14).
27. Kapoor D, Vijayvergiya R, Dhawan V. *Terminalia arjuna* in coronary artery disease: Ethnopharmacology, pre-clinical, clinical & safety evaluation. *Journal of Ethnopharmacology*. 2014; 155.
28. Soni N, Singh VK. Efficacy and Advancement of *Terminalia arjuna* in Indian Herbal Drug Research: A Review. *Trends in Applied Sciences Research*. 2019;14(4).
29. Upadhyay RK, Pandey MB, Jha RN, Singh VP, Pandey VB. Triterpene glycoside from *terminalia arjuna*. *Journal of Asian Natural Products Research*. 2001;3(3).
30. Yadava RN, Rathore K. A new cardenolide from the seeds of *Terminalia arjuna* (W and A). *Journal of Asian Natural Products Research*. 2000;2(2).
31. Mohammad S, Sadika A, Md IH, Md AH, Mohiuddin AB. Evaluation of in vitro antioxidant activity of bark extracts of *Terminalia arjuna*. *Journal of Medicinal Plants Research*. 2012;6(39):5286–98.
32. Rose J, Treadway S. Herbal Support For A Healthy Cardiovascular System. *Clinical Nutrition Insights*. 1999;6(16).
33. Biswas K, Halder PK, Biswas M, Karan TK, Bhattacharya S, Ghosh AK, et al. Evaluation of analgesic and anti-inflammatory activities of *Terminalia arjuna* leaf. Preclinical evaluation and molecular mechanism of phytomolecules against type-2 diabetic rats. View project Biswas Moulisha evaluation of analgesic and anti-inflammatory activities of *terminalia arjuna* leaf. *Journal of Phytology*. 2011;3(1):33–8. Available from: <https://www.researchgate.net/publication/267427155>
34. Parmar, H.S., Panda, S., Jatwa, R. and Kar, A., 2006. Cardio-protective role of *Terminalia arjuna* bark extract is possibly mediated through alterations in thyroid hormones. *Die Pharmazie-An International Journal of Pharmaceutical Sciences*, 61(9), pp.793-795.
35. Raj S, Singh H, Trivedi R, Soni V. Biogenic synthesis of AgNPs employing *Terminalia arjuna* leaf extract and its efficacy towards catalytic degradation of organic dyes. *Scientific reports*. 2020 Jun 15;10(1):9616.
36. K A, S GA, N S. Dyeing of textiles with natural dyes extracted from *Terminalia arjuna* and *Thespesia populnea* fruits. *Industrial Crops and Products*. 2020;148.

UNDR PEER REVIEW